Vive la Recherche en Informatique !

jean-jacques.levy@inria.fr LMF, Univ. Paris-Saclay Octobre 15, 2021

http://jeanjacqueslevy.net/talks/21saclay/ens21.pdf





[1968]



[1980]





[1969]







a decreasing function of go to statements in the ins they produce. More recently ered why the use of the go to tement has such disastrous effects, ecame convinced that the go to tement should be abolished for

anty of



[1972]









UNIVERSITY COLLEGE, SWANSEA, 8 -- 14 September 1974.

Sponsored by:

British Council, British Logic Colloquium. I.B.M. United Kingdom Ltd. (main sponsor), Purpose: Informal discussion of current problems in lambda-calculus.

PARTICIPANTS (20):

TALKS (17):

Henk P. Barendregt, University of Utrecht.

Choukri-Bey Ben-Yelles, Swansea. Malcolm Bird, Westfield College, London. Corrado Böhm, Univ. Turin, Jane Bridge, Somerville College, Oxford. André Chauvin, Univ. Algiers, Haskell Curry, Pennsylvania State Univ. Diederik van Daalen, T. H. Eindhoven, Mariangiola Dezani-Ciancaglini, Univ. Turin, "Characterization of normal forms having Roger Hindley, Univ. Wales, Swansea, Jean-Jacques Lévy, I.R.I.A. Le Chesnay, Giuseppe Longo, Univ. Pisa,

"Curry's paradox and Löb's theorem", "The ω -rule".

"Convertibility as program equivalence".

"Theory of objects".

"Introduction to Automath",

"Strong normalization in the λ -typed λ -calculus".

inverses in the β - η -calculus".

"The Church-Rosser problem for $\lambda - \beta$ -reduction with the extra rule δXX reduces to X".

"A proof of Welch's conjecture".

"A modified kind of Strong-Wagner-style

inverses in the $\beta-\eta$ -calculus".

Roger Hindley, Univ. Wales, Swansea,

Jean-Jacques Lévy, I.R.I.A. Le Chesnay, Giuseppe Longo, Univ. Pisa,

Wolfgang Maass, Univ. Munich,

Gerd Mitschke, T. H. Darmstadt.

Gordon Plotkin, Univ. Edinburgh,

"The Church-Rosser problem for λ - β -reduction with the extra rule δXX reduces to X".

"A proof of Welch's conjecture".

"A modified kind of Strong-Wagner-style models".

"The Church-Rosser theorem for infinite λ -terms".

"The ω-rule, a counterexample",
"A power-domain construction",
"A counterexample to the upside-down Church-Rosser theorem".

Gianfranco Prini, Univ. Pisa,

Richard Statman, King's College, Cambridge.

Anne Troelstra, Univ. Amsterdam.

Roel de Vrijer, T. H. Eindhoven,

Peter Welch, Univ. Kent, Canterbury,

"Why computer-scientists need λ -calculus".

"The Big Tree theorem".

"A syntactical model of the λ -calculus".

Excursion: afternoon of 11 Sept.: bus to Rhossili, with walk to Mewslade.

[Typed by Roger Hindley in 2008 from informal notes 1974.]







laboria

Institut de Recherche d'Informatique et d'Automatique

Domaine de Voluceau Rocquencourt B. P. 105 78150 - Le Chesnay France Tél.: 954 90 20 laboratoire de recherche en informatique et automatique

(115)



CALL BY NEED COMPUTATIONS IN NON-AMBIGUOUS LINEAR TERM REWRITING SYSTEMS

ARCHIVES

Gérard HUET Jean-Jacques LEVY

Rapport de Recherche Nº 359 Août 1979

Stp.





laboria

laboratoire de recherche en informatique et automatique



(115)

CALL BY NEED COMPUTATIONS **IN NON-AMBIGUOUS** LINEAR TERM **REWRITING SYSTEMS**

> Gérard HUET Jean - Jacques LEVY

Rapport de Recherche Nº 359 Août 1979





270

Institut de Recherche d'Informatique et d'Automatique

Domaine de Voluceau Rocquencourt B. P. 105 78150 - Le Chesnay France Tél.: 954 90 20



RA

laboria

laboratoire de recherche en informatique et automatique

(115)



CALL BY NEED COMPUTATIONS IN NON-AMBIGUOUS LINEAR TERM REWRITING SYSTEMS

ARCHIVES

Gérard HUET Jean - Jacques LEVY

Rapport de Recherche Nº 359 Août 1979

270







Institut de Recherche d'Informatique et d'Automatique

Domaine de Voluceau Rocquencourt B. P. 105 78150 - Le Chesnay France Tél.: 954 90 20



RA

laboria

laboratoire de recherche en informatique et automatique

(115)



CALL BY NEED COMPUTATIONS IN NON-AMBIGUOUS LINEAR TERM REWRITING SYSTEMS

ARCHIVES

Gérard HUET Jean-Jacques LEVY

Rapport de Recherche Nº 359 Août 1979

270





IN A.ROBINSON FESTSCRIFT

Institut de Recherche d'Informatique et d'Automatique

Domaine de Voluceau Rocquencourt B.P. 105 78150 - Le Chesnay France Tél.: 954 90 20



M0Sc0vA [1988]









[2006]







Théories Applications

[Un exemple]

JUNE 1996



http://jeanjacqueslevy.net/talks/21saclay/a501.mp4

JUNE 1996



http://jeanjacqueslevy.net/talks/21saclay/a501.mp4

After explosion in swamps near Kourou (Guyana)











Investigation committee

J.-L. Lions, Gilles Kahn





- at 36th second, the inertial reference system (SRI) failed
- then abrupt veer of engines
- and rocket explosion

Investigation committee

J.-L. Lions, Gilles Kahn

- failure was due to a software bug in SRI2:
 - Ariane 5 horizontal bias is 5 times larger than in Ariane 4
 - thus overflow of a variable in the embedded program of SRI2
 - SRI2 program stopped
- backup program in SRI1 took control:
 - as SR1 program is same as SRI2 program
 - it was also stopped for same reason as for SRI2
Investigation committee

J.-L. Lions, Gilles Kahn

- failure was due to a software bug in SRI2:
 - Ariane 5 horizontal bias is 5 times larger than in Ariane 4
 - thus overflow of a variable in the embedded program of SRI2
 - SRI2 program stopped
- backup program in SRI1 took control:
 - as SR1 program is same as SRI2 program
 - it was also stopped for same reason as for SRI2
- without SRI, rocket had no longer good direction:
 - veer of engine nozzles
 - explosion

Investigation committee

J.-L. Lions, Gilles Kahn



- the failing part of SRI program was used to re-align Ariane 4 in case of a late stop of countdown and works only until H + 40s
- this code was useless for Ariane 5
- but code was kept because already well tested on Ariane 4.

During the course of the inquity courd o intestigation of were recovered. The values stored in the EEPROMs were identical except for the cycle number at which the failure occurred. Both the telemetry and the values Readingrecovered from the EEPROM indicated that an exception had been raised, but more importantly the EEPROM contains the: fault table; real time executive trace table; and exception context table. From this information it is possible to precisely determine the of context of the failure including the software instruction executed. PROM From the information about the failure it can be stated that an Operand Error occurred at 00005FEA. This corresponds to the Ada statement Gilles Kahn, **Robert Ehrlich** P M DERIVE(T_ALG.E_BH) := UC_16S_EN_16NS 450 (TDB.T ENTIER_16S ((1.0/C_M_LSB_BH) * 451 452 G M INFO DERIVE(T_ALG.E_BH))); and in particular the FMOVE.W instruction in the compiled assembler Source line 450, column 7 * (IVS, 8268), FMOVE.D -32592(A5), FP2 000140 F22D 5500 80B0 FMUL.D #\$40F86A000000000,FP2 000146 F23C 5523 40F8 6A00 0000 0000 FMOVE.W FP2,D4 000152 F204 7100 MOVE.W, D4,10(A1) .000156 3344 000A

which has been confirmed by later software simulations using the recorded telemetry.

The ADA code

end 11; Jun L M DON 32 := TDB.T ENTIER 32S ((1.0/C M LSB DON) * 336 G M INFO DERIVE (T ALG.E DCN)) if L M DON 32 > 32767 then P M DERIVE (T ALG.E DON) := 16#7FFF#; elsif L M DON $3\overline{2} < -3\overline{2}768$ then P M DERIVE (T ALG.E DON) := 16#8000#; else P M DERIVE (T ALG.E DON) := UC 16S EN 16NS (TDB.T ENTIER 16S(L M DON 32)); end if; P M DERIVE (T ALG.E DOE) := UC 16S EN 16NS (TDB.T ENTIER 16S ((1.0/C M LSB DOE) * G M INFO DERIVE (T ALG.E DOE) L M BV 32 := TDB.T ENTIER 32S ((1.0/C M LSB BV) * G M INFO DERIVE(T ALG.E BV)); if L M BV 32 > 32767 then P M DERIVE (T ALG.E BV) := 16#7FFF#; elsif L M BV 32 < -32768 then P M DERIVE (7 ALG.E BV) := .16#8000#; else P M DERIVE (T ALG.E BV) := UC 16S EN 16NS (TDB.T_ENTIER 16S (L M end if; 501 P_M_DERIVE(T_ALG.E_BH) := UC 16S EN 16NS (TDB.T ENTIER 16S ((1.0/C M LSB BH) * G M INFO DERIVE (T ALG.E BH))) end LIRE DERIVE; --\$finprocedure -- (procedure LIRE SEUIL (P M SEUIL : out TDB.T ENTIER 16NS) is --1

The ADA code

ena 11; Jun L M DON 32 := TDB.T ENTIER 32S ((1.0/C M LSB DON) * G M INFO DERIVE (T ALG.E DCN) if L M DON 32 > 32767 then P M DERIVE (T ALG.E DON) := 16#7FFF#; elsif \overline{L} M DON 32 < -32768 then P M DERIVE (T ALG.E DON) := 16#8000#; else P M DERIVE (T ALG.E DON) := UC 16S EN 16NS (TDB.T ENTIER 16S(L M DON 32)); end if; P M DERIVE (T ALG.E DOE) := UC 16S EN 16NS (TDB.T ENTIER 16S ((1.0/C M LSB DOE) * G M INFO DERIVE (T ALG.E DOE) L M BV 32 := TDB.T ENTIER 32S ((1.0/C M LSB BV) * G M INFO DERIVE(T ALG.E BV)); if L M BV 32 > 32767 then P M DERIVE (T ALG.E BV) := 16#7FFF#; elsif L M BV 32 < -32768 then P_M_DERIVE(T ALG.E BV) := .16#8000#; else P M DERIVE (T ALG.E BV) := UC 16S EN 16NS (TDB.T ENTIER 16S (L M end if; 501 P M DERIVE (T ALG.E BH) := UC 16S EN 16NS (TDB.T ENTIER 16S ((1.0/C M LSB BH) * G M INFO DERIVE (T ALG.E BH)) } end LIRE DERIVE; --\$finprocedure -- (procedure LIRE SEUIL (P M SEUIL : out TDB.T ENTIER 16NS) is

The new ADA code



OCTOBER 1996



Robert Ehrlich, Georges Gonthier, François Rouaix Marcin Skubiszewski, Alain Deutsch, Damien Doligez

Alain Deutsch



1965 - 2006



What to do ?

- 140000 lines of ADA + assembly 68000
 - "bottom-up" analysis
 - large documentation, but rather general
- compile the code
 - to manipulate it
- 3 software modules
 - written with strict programming rules
 - multi-tasking with many shared variables

TASK Début T2

-- algorithms between phases, must be allowed to execute - even during

-- blackout.

Task Body CYCLICS_OBCS_TYPE Is Begin

accept START;

GROUND PHASE -- Initialise missionised activation times INITIALISE; accept ACTIVATE_PILOT_CYCLE; -- perform operations for cycle 1 PERFORM_CYCLE_1; -- update frame id in UCTM for DM 6 COMMUNICATIONS.PUT_FRAME_ID (FRAME_ID => COMMUNICATIONS_TYPES.GROUND_EAP); GROUND_PHASE: loop

-- wait for start of a new pilot cycle accept ACTIVATE_PILOT_CYCLE;

PROCESS_GROUND_OPS;

-- Check to see if the phase needs to be changed for

PERFORM_CYCLE_1;

-- update frame id in UCTM for DM 6 COMMUNICATIONS.PUT_FRAME_ID (FRAME_ID => COMMUNICATIONS_TYPES.GROUND_EAP);

GROUND_PHASE: loop

> -- wait for start of a new pilot cycle accept ACTIVATE_PILOT_CYCLE;

PROCESS_GROUND_OPS;

-- Check to see if the phase needs to be changed for

- -- the next cycle the PHASE_TO_CHANGE indicator is
- -- updated during the processing of the cycle. The
- -- command to change the frame is called during this
- -- processing.
- exit when PHASE_TO_CHANGE;

end loop GROUND_PHASE;

EAP

-- Set launcher in flight, so that trajectory algorithms are -- consistent between critical pilot (EXECUTIVE) and -- other trajectory algorithms (CYCLICS). PHASE.SET_IN_FLIGHT;

EAP PHASE

EAP_FLIGHT_PHASE: loop

18

-- wait for start of a new pilot cycle accept ACTIVATE_PILOT_CYCLE;

PROCESS_EAP_OPS;

-- Check to see if the phase needs to be changed for -- the next cycle the PHASE_TO_CHANGE indicator is -- updated during the processing of the cycle. The -- command to change the frame is called during this -- processing. exit when PHASE_TO_CHANGE;

end loop EAP_FLIGHT_PHASE;

EPC

-- 3rd CYCLICS phase (while launcher is in EPC flight) PHASE.SET (NEW_PHASE => PHASE_TYPES.EPC_WITH_FAIRING);

-- update frame id in UCTM for DM 6. COMMUNICATIONS.PUT_FRAME_ID (FRAME_ID => COMMUNICATIONS_TYPES.EPC);

-- Set up initialisation for roll control TRAJECTORY. INITIALISE ACTUATORS;

-- As this is the first call to this function, set up the earliest -- start time of CALCULATE_CONTROL_INTEGRAL (tleapeff + 10), 139 cycl -- after start of EPC.

-- CALCULATE_CONTROL_INTEGRAL will be executed in Navigate_cycle_2. EPC CONTROL INTEGRAL START .= OVERALL CYCLE COUNT + 139:

-- update frame id in UCTM for DM 6 COMMUNICATIONS.PUT_FRAME_ID (FRAME_ID => COMMUNICATIONS_TYPES.EPC);

-- Set up initialisation for roll control TRAJECTORY.INITIALISE_ACTUATORS;

-- As this is the first call to this function, set up the earliest -- start time of CALCULATE_CONTROL_INTEGRAL (tleapeff + 10), 139 cycl -- after start of EPC.

-- CALCULATE_CONTROL_INTEGRAL will be executed in Navigate_cycle_2. EPC_CONTROL_INTEGRAL_START := OVERALL_CYCLE_COUNT + 139;

-- Set the guidance counter so that the out_atmosphere guidance -- is resynchronised. The ST states that the start of out_atmosphere -- guidance is started at "tleapeff". GUIDANCE_CYCLE_COUNT := 1;

EPC_FLIGHT_PHASE: loop

> -- wait for start of a new pilot cycle accept ACTIVATE_PILOT_CYCLE;

PROCESS_EPC_OPS;

-- Check to see if the phase needs to). changed for -- the next cyclc the PHASE_TO_CHANGE indicator is -- updated during the processing of the wcle. The -- command to change the frame is called during this -- processing. exit when PHASE_TO_CHANGE;

end loop EPC_FLIGHT_PHASE;

-- EPC flight is now complete. Further processing will depend on -- the flight mission. -- There are 2 possible missions; -- Mission TYPE_1 and Mission TYPE 2 no initial EPS flight for this mission --):PS flight -- SCA (ballistic) SCA (ballistic) -- EPS flight EPS flight -- SCA (ballistic) SCA (ballistic) -- EPS flight EPS flight -- SCA FIN SCA FIN

EPS PHAS

-- the mission type is obtained from FLIGHT_MISSION_DATA. if FLIGHT_MISSION_DATA.MISSION_TYPE_IS = FLIGHT_TYPES.TYPE_1 then

PHASE.SET (NEW_PHASE => PHASE_TYPES.EPS_STOPPED);

-- update frame id in UCTM for DM 6 COMMUNICATIONS.PUT_FRAME_ID (FRAME_ID => COMMUNICATIONS_TYPES.EPS);

-- Reset digital message 1 and 2 with thrust estimation data. COMMUNICATIONS.PUT_THRUST_ESTIMATE_MESSAGE (MESSAGE => (others => 0.0)

TRAJECTORY. INITIALISE_EPS_PILOT;

TRAJECTORY.INITIALISE_ACTUATORS; -- for a type 1, actuators initialisation for roll control -- is activated once, on the first EPS phase.

EPS_FLIGHT_PHASE: loop

EPS

-- update frame id in UCTM for DM 6 COMMUNICATIONS.PUT_FRAME_ID (FRAME_ID => COMMUNICATIONS_TYPES.EPS);

-- Reset digital message 1 and 2 with thrust estimation data. COMMUNICATIONS.PUT_THRUST_ESTIMATE_MESSAGE (MESSAGE => (others => 0.0)

TRAJECTORY. INITIALISE_EPS_PILOT;

TRAJECTORY. INITIALISE_ACTUATORS;

-- for a type 1, actuators initialisation for roll control -- is activated once, on the first EPS phase.

EPS_FLIGHT_PHASE: loop

-- wait for start of a new pilot cycle accept ACTIVATE_PILOT_CYCLE;

PROCESS_EPS_OPS;

-- Check to see if the phase needs to be changed for -- the next cycle the PHASE_TO_CHANGE indicator is -- updated during the processing of the cycle. The -- command to change the frame is called during this -- processing. exit when PHASE_TO_CHANGE;

SCA PHASE

end loop EPS_FLIG IT_PHASE;

Ballistyve

end if; -- FLIGHT_MISSION_DATA.MISSION_TYPE_IS

<pre></pre>	
<pre></pre>	
Product : Flight Program (LV) Source File Name : ACTUATORS.ADA Source File History : Version Date Version Description/Mod Number(s) Programmer 01.01.00 05.10.94 Initial version JCM,SP. 01.02.00 05.01.95 UNIT TESTS V1 JCM,SP. 01.03.00 25.01.95 A5-FA-1811-A53: removed use of S. Parsons	
Version Date Version Description/Mod Number(s) Programmer 01.01.00 05.10.94 Initial version JCM, SP. 01.02.00 05.01.95 UNIT TESTS V1 JCM, SP. 01.03.00 25.01.95 A5-FA-1811-A53: removed use of S. Parsons	
01.01.00 05.10.94 Initial version JCM,SP. 01.02.00 05.01.95 UNIT TESTS V1 JCM,SP. 01.03.00 25.01.95 A5-FA-1811-A53: removed use of S. Parsons	:
01.02.00 05.01.95 UNIT TESTS V1 JCM,SP. 01.03.00 25.01.95 A5-FA-1811-A53: removed use of S. Parsons	
01.03.00 25.01.95 A5-FA-1811-A53: removed use of S. Parsons	
COMMUNICATIONS. PUT COMBUSTION MESSAGE	1
due to an incorrect and non agreed MN.	
25.01.95 A5-FA-1811-A54: S. Parsons EVFCVi change to FCVi due to an error in bdas	í.
01.04.00 28-Feb-95 A5-FA-1811-A100-ASAI: JCM. Add of acquisitions of measures and downstream date from SRI in VARY_SPEED.	
28-Feb-95 A5-FA-1811-A95-ASAI: JCM. The values of the constants AZSRIN and AZSRIS must be exchanged.	
02.05.00 28.02.95 Updated to ST6.1, TA6.1, HOOD 3.1 S.Parsons (Baseline V2.0) JCM.	,
Incorporated Mod. note numbers : JCM. A5-MN-1811-0039-ASAI R1 JCM. A5-MN-1811-0049-ASAI R1 JCM. A5-MN-1811-0050-ASAI R1 JCM. A5-MN-1811-0050-ASAI R1 JCM. A5-MN-1811-0050-ASAI R1 JCM. A5-MN-1811-0054-ASAI R2 JCM.	
02.06.00 10.05.95 Updated to ST6.1, TA6.2 HOOD 3.1 OR + FMs : S042/95, S058/95 (Baseline V2.1) JCM. Incorporated Mod. note numbers : A5-MN-1811-1143-EASM, A5-MN-1811-1146-EASM, A5-MN-1811-1149-EASM	
02.07.00 29.05.95 Idem JCM.	
02.08.00 10.06.95 Idem JCM.	
02.09.00 21.07.95 BASELINE V2.1 - Correction of NCR-339-ASAI : Add of the reset of out indicators in SCA AUTOPLIOT procedure	
03.10.00 31.10.95 Baseline V3.3	

acti	uators.a	ida W	ied Oct 16 (9:59:41 1996 2		
			Implen	mentation of A5-MN-1811-1196-EASM :		
			Add ca	all to COMMUNICATIONS.SET_CYCLIC_OPERAT	TION_ON	
			just a	after the begin statement of procedures	3	
			VARY_	SPEED and SCA_AUTOPILOT.		
		03.11.00	08.11.95	Baseline V-3.3 - Unit Tested (part.)	JCM	
		05.11.00	00.11.95	babeline v 515 onie lobeca (parely	0011	
		03.12.00	17.11.95	Baseline V3.4	JCM.	
			- Imple	ementation of FM-S221/95 :		
			Add Ca	Mentation of \$5-MN-1811-1220-FASM (NCF	-564)	
			remove	the GET_FUEL_MASS function.		
		03.13.00	29.11.95	Baseline V3.4	JCM.	
			- Imple	mentation of MN-2017 : Add the assignment of the SCA AU	Nent ITOPTIOT	
			algori	thm.	1021101	
			5			
		04.14.00	12.01.96	A5-MN-1811-1234-EASM : replacement	O. Rigaud	
				of ACTUATORS_MISSION_DATA.AZSRI[N S]		
		05.15.00	31.07.96	FM S345/96 : computation of	O. Rigaud	
				TALLUEPS global variable according	j	
				to flight phase, before SCA		
	ONTIN	05 16 00	16 10 06	autopilot execution		
	OMEVN	05.16.00	10.10.90	A5-FA-1811-945-ASAI.		
				A5-FA-1811-947-ASAI : addition of	O. Rigaud	
				GET_PAYLOAD_RELEASE_NUMBER function		
(Constit	uont Brogr	am Unite .	Q		
(CONSCIC	dent riogr	am onics .	0		
	IN	ITIALISE				
	PE	RFORM_ROLL	_			
	SC.	A_AUTOPILO RV SPEED	т			
	CH	ECK VALVES				
	CO	MMAND_VALV	ES		(
	SH	ORT_EPS_IG	NITION_AUT	HORISED		
	GE	T_PAYLOAD_	RELEASE_NU	MBER		
	Source	File Desc	ription :			
	ACT	UATORS sha	ll calcula	te roll commands which are sent to the	actuators	
	as the	a series of	f FCVi and	SCA LV on/off commands. It shall also	verity	
	 the operation of the FCV1 and SCA LVS and take the appropriate recovery actions 					
	- The resultant recovery actions shall be made available to the caller.					
	ACT	UATORS shall	11 generat	e roll commands for the EPC, EPS and S	CA flight	
	alle	ow the fue	l mass to	be obtained.	speeu anu	
I	Portabi	lity Consid	derations	:		
	NO	VF				
	1401					
5	Subprog	ram Mapping	g :			

Wed Oct 16 09:59:41 1996 actuators.ada 3 - --- Source Name Specification Name Fortran Model -- ------------------PRESENTER VALEUR INITIALES CON--TROLE EN ROULIS (M22551) INITIALISER CONTROLE EN ROULIS (M22552) REINITIALISER PARAMETRES SCA (M2261) -- INITIALISE INSCAR ------INSCAR SCABAL --- --- PERFORM_ROLL CONTROLER LE ROULIS EN PHASE SCAROUL ---EPC/EPS (M22553) ----- SCA_AUTOPILOT REGLER PILOTAGE SCA (M2263) SCABAL --CONTROLER LES VARIATIONS DE VITESSE (M2262) -- VARY_SPEED SCABAL **~** ~ --CHECK_VALVES COMMANDER/CONTROLER LES EV N/A ---DU SCA (M22556) --COMMANDER/CONTROLER LES EV DU SCA (M22556) -- COMMAND_VALVES N/A ---- --- SHORT_EPS_IGNITION_ -- AUTHORISED N/A

N/A

--

-- GET PAYLOAD RELEASE

N/A

N/A

actuators.ad	da Wed Oct 16 09:59:41 1996 4
++++	•••••
FUNC	CTIONAL DESCRIPTION:
In	nitialises, or reinitialises, the parameters for each beginning of a
ne	ew flight phase (EPC, EPS, SCAi).
(s	see PM A5-MN-1811-0037-ASAI)
procedu	re INITIALISE is separate;
++++	******************
++++	• • • • • • • • • • • • • • • • • • • •
FUNC	CTIONAL DESCRIPTION:
Acti	vates the roll control calculations and sends the calculated
roll	commands to the actuators.
procedu	ire PERFORM_ROLL is separate;
++++	***************************************
++++	***********************
FUNC	TIONAL DESCRIPTION:
Perf	forms the autopilot during the SCA phase and
calc	ulates SCA commands for the actuators.

```
ACTUATORS_INTERNAL.CALCULATE_TBURN;
        if ACTUATORS_INTERNAL.FIRST then
            ACTUATORS_INTERNAL.FIRST := false;
        end if:
    end if;
    -- To update the digital message
    COMMUNICATIONS.PUT_SCA_AUTOPILOT_2_MESSAGE
       (MESSAGE =>
           (DTOUV => ACTUATORS_INTERNAL.TBURN_TAB,
           PMASS1V => ACTUATORS_INTERNAL.PMASS,
           ANOMAL => ACTUATORS_INTYPES.NOZZLE_FAILURE_TYPE'pos
                         (ACTUATORS_INTERNAL.ANOMAL),
                  => ACTUATORS_INTERNAL.PILOT_MODE,
           CASET
           IANOM
                   => COMMUNICATIONS_TYPES.IANOM_TYPE
                         (ACTUATORS_INTERNAL.IANOM),
                  => ACTUATORS_INTYPES.FAILURE_TYPE'pos
           TTEST
                         (ACTUATORS INTERNAL, ITEST)));
    COMMUNICATIONS.PUT_SCA_AUTOPILOT_1_MESSAGE
       (MESSAGE =>
           (STATE => ACTUATORS_INTERNAL.STATE_VCT,
           UNBAL_2 => ACTUATORS_INTERNAL.UNBAL (2),
           UNBAL_3 => ACTUATORS_INTERNAL.UNBAL (3),
           DVFIL => ACTUATORS_INTERNAL.DVFIL,
                   => ACTUATORS_INTERNAL.QS,
           QS
           RATES => ACTUATORS_INTERNAL.ROLL_RATES));
    -- Output parameters :
    RESET_UCTM_REQUIRED := ACTUATORS_INTERNAL.RESET_UCTM_TO_REQUIRE;
    PAYLOAD_RELEASE_REQUIRED :=
      ACTUATORS_INTERNAL.RELEASE_PAYLOAD_INDICATOR;
    STOP_PROCESSING_SCA := ACTUATORS_INTERNAL.FLPASC;
    -- To reset the indicators :
    ACTUATORS_INTERNAL.RESET UCTM TO REQUIRE
                                             := false:
    ACTUATORS_INTERNAL.RELEASE_PAYLOAD_INDICATOR := false;
    ACTUATORS_INTERNAL.FLPASC
                                              := false:
end SCA_AUTOPILOT;
```

```
COMMUNICATIONS.SET_CYCLIC_OPERATION_ON (
    NAME => COMMUNICATIONS_TYPES.TRAJ_CONTROL_SCA_SPEED_ACTIVATED);
-- To check variations of speed :
-- Initialisation of roll component of accelerometric increment
ACTUATORS INTERNAL, X ACCEL INCREMENT ::
   SRI.GET_ACCEL_INCREMENT_IN_X_AXIS;
-- Acquisition date
ACTUATORS_INTERNAL.DOWNSTREAM_DATE := SRI.GET_DOWNSTREAM_DATE;
-- SRI validity
ACTUATORS_INTERNAL.NUMSRI
                                   := SRI.GET VALIDITY;
 -- Check of SRI switch :
if ACTUATORS_INTERNAL.NUMSRI /= ACTUATORS_INTERNAL.NUMSRIP and then
   ACTUATORS_INTERNAL.NUMSRI = FLIGHT_TYPES.BACKUP_ONLY
then
    ACTUATORS_INTERNAL.FIRST
                                 := true;
    ACTUATORS_INTERNAL.VXBIAS
                                 :=
       ACTUATORS INTERNAL.VXBIAS +
       ( ACTUATORS INTERNAL, X ACCEL INCREMENT -
         ACTUATORS INTERNAL, VXMOLD );
    ACTUATORS_INTERNAL.COS_AZSRI :=
       UNIVERSAL.COS (FLIGHT_MISSION_DATA.AZSRIS);
    ACTUATORS_INTERNAL.SIN_AZSRI :=
       UNIVERSAL.SIN (FLIGHT_MISSION_DATA.AZSRIS);
    ACTUATORS_INTERNAL.NUMSRIP := ACTUATORS_INTERNAL.NUMSRI;
end if;
-- Check of speed and saving of date and value if any change appeared :
if ACTUATORS_INTERNAL.X_ACCEL_INCREMENT /= ACTUATORS_INTERNAL.VXMOLD
then
    ACTUATORS_INTERNAL.DVSKIP := ACTUATORS_INTERNAL.DOWNSTREAM_DATE;
    ACTUATORS_INTERNAL.VXMOLD := ACTUATORS_INTERNAL.X_ACCEL_INCREMENT;
end if:
```

actuators.ada Wed Oct 16 09:59:41 1996

```
-- FUNCTIONAL DESCRIPTION:
```

```
-- Performs a check on the current status of the valves.
```

```
-- The check shall be made with respect to sent commands and recovery
```

7

```
-- action shall be taken. The status of the ESs shall be indicated
```

```
-- to the caller.
-- The status has no meaning on each call after SCA_AUTOPILOT
```

-- and therefore should not be checked.

```
--
```

```
-- FORMAL PARAMETERS:
```

-- Return parameter : Status of the ESs, as returned by LN2 level.

```
-- --
```

```
function CHECK_VALVES
    return FLIGHT_TYPES.ELECTRO_SOLENOID_STATUS_TYPE is separate;
```

```
-- FUNCTIONAL DESCRIPTION:
```

```
-- Sends the commands to open and close the actuators.
```

```
\ensuremath{\text{--}} These commands have been previously calculated by the roll control and \ensuremath{\text{--}} sca autopilot algorithms.
```

```
-----
```

```
-- FUNCTIONAL DESCRIPTION:
```

```
--
--
--
Returns the authorisation state of the short eps ignition.
-- ST variable 'xreals'.
--
--
```

function SHORT_EPS_IGNITION_AUTHORISED return BOOLEAN is

```
begin
```

return ACTUATORS_INTERNAL.XREALS;

```
actuators.ada Wed Oct 16 09:59:41 1996
```

```
begin
```

```
return ACTUATORS_INTERNAL.PAYLOAD_NBR;
```

end GET_PAYLOAD_RELEASE_NUMBER;

8

end ACTUATORS;

```
-- FUNCTIONAL DESCRIPTION:
~ ~
--
       This function allows to calculate the quaternion error.
.....
-- FORMAL PARAMETERS:
--
       A : First quaternion
---
- -
       B : Second quaternion
---
-- DESIGN:
---
- -
       The error is calculate by multiplying the first quaternion by
--
       the inversion of the second quaternion
---
-- [optional subprogram tags]
-- RETURN VALUE:
--
---
       The quaternion error.
---
-- --
function CALC_QUATERNION_ERROR
  ( A : in FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE;
    B : in FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE )
  return FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE is
   INVERTED_QUATERNION :
     FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE := (others => 0.0);
   QUATERNION_ERROR
     FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE := (others => 0.0);
begin
   -- To build the negative quaternion :
   for I in 1 .. FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE'last - 1
   loop
      INVERTED_QUATERNION (I) := - (B (I));
   end loop;
   INVERTED_QUATERNION (FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE'last) :=
    B (FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE'last);
   -- Multiply the quaternions :
```

```
actuators_utilities_.ada
                          Mon Jun 12 20:05:29 1995
                                                    1
_____
-----
-- Project
                     : Ariane 5 OnBoard Software
----
                    : Flight Program (LV)
-- Product
---
-- Source File Name : ACTUATORS_UTILITIES_.ADA
----
-- Source File History :
--
                    Date Version Description/Mod Number(s) Programmer
---
          Version
                   -----
                            -----
--
          _____
---
          00.00.01 05.10.94 Initial version
                                                               JCM
---
          00.00.02 01.02.95 Update to ST 6.1, coding standards S. Parsons
- -
---
          02.03.00 22.05.95 Idem
                                                                JCM.
--
---
---
         02.04.00 10.06.95 Idem (Baseline V2.1).
                                                                JCM.
--
_ _
-- Constituent Program Units : 5
-----
-- MTXMUL_GEN
-- LIMIT
-- CALC ANGULAR VELOCITY
-- MULTIPLY_QUATERNIONS
-- CALC_QATERNION_ERROR
--
-- Source File Description :
-- This package contains some usefull operations' and utilities for ACTUATORS
-- functionnalities.
-- Portability Considerations :
---
-- {tbs}
- -
-- Subprogram Mapping :
---
-- Source Name
                           Specification Name
                                                         Fortran Model
-- --------
                           -----
                                                         -----
---
-- MTXMUL GEN
                           N/A
                                                        N/A
                           LIMITER SYMETRIQUEMENT LES
-- LIMIT
                                                        Unknown
                           ENTREES (M22644)
```

```
package ACTUATORS_UTILITIES is
  -- FUNCTIONAL DESCRIPTION:
  ---
       This function performs a matrix vector multiplication .
  --
  ---
  -- FORMAL PARAMETERS:
  ---
  ---
       M : input matrix.
  --
       V : input vector.
  --
  -- RETURN VALUE:
  --
        output vector.
  --
  -- --
  generic
     type ITEM_TYPE is private;
    NULL_ITEM : ITEM_TYPE;
    type FIRST_INDEX_TYPE is range <>;
    type SECOND_INDEX_TYPE is range <>;
    type MATRIX_TYPE is array (FIRST_INDEX_TYPE, SECOND_INDEX_TYPE) of
      ITEM_TYPE;
    type IN_VECTOR_TYPE is array (SECOND_INDEX_TYPE) of ITEM_TYPE;
    type OUT_VECTOR_TYPE is array (FIRST_INDEX_TYPE) of ITEM_TYPE;
    with function "*" (X, Y : ITEM_TYPE) return ITEM_TYPE is <>;
    with function "+" (X, Y : ITEM_TYPE) return ITEM_TYPE is <>;
  function MTXMUL_GEN
    ( M : in MATRIX_TYPE;
     V : in IN_VECTOR_TYPE) return OUT_VECTOR_TYPE;
  procedure CALC_ANGULAR_VELOCITY
    (FAILURE : in ACTUATORS_INTYPES.FAILURE_TYPE);
  -- FUNCTIONAL DESCRIPTION:
```

Mon Jun 12 20:05:29 1995

2

actuators_utilities_.ada

----- Project Name : Ariane 5 OnBoard Software - Flight Program (LV) --A : First quaternion ---B : Second quaternion -- Source File Name : ACYCLIC1.ADA -- DESIGN: -- Source File History : -----The error is calculate by multiplying the first quaternion by --Version Date Version Description/Mod Number(s) Programmer -the inversion of the second quaternion -------------_____ -----00.01 25.10.94 Initial Version PCB -- RETURN VALUE: --00.02 18.11.94 Mod Note 1041,1063 PCB -----00.03 12.12.94 communications.process_it_bf PCB --The quaternion error. --00.04 23.02.95 Mod Note 1077 S.TH ----00.05 23.02.95 Mod Note 1077 correction SJH -- ----00.06 07.03.95 Mod Note 1076 VΨ Also updated for UT purposes by creating an ACYCLIC1_INTERNAL function CALC OUATERNION ERROR --(A : in FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE; --B : in FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE) return FLIGHT_TYPES.ARRAY_1_4_FLOAT_TYPE; -package. --00.07 31.03.95 Updated in line with MN 1135. VT 26.04.95 Updated in line with MN 1136. --00.08 VT Correct header and correct --00.09 15.05.95 SJH --Mod Note 1136. -- FUNCTIONAL DESCRIPTION: --00.10 19.06.95 NCR 138 incorporated SJH --00.11 10.08.95 Implement the MN 1170 A. Peres -- This function allows to limit the input value (X) to the limit (LIMIT). -and MN 1148, 1076 --00.12 25.08.95 Add call to PHASE.SET (MN 1104) in SET_EAP_IGNITION F Add OBC1 guard on IGNITE_VULCAIN -- FORMAL PARAMETERS: --P. Bricker --- -00.13 29.08.95 ---X : FLOAT input value -and PREPARE_EAP_IGNITION (NCR 437), --and add EAPs ignited guard on DISCONNECT_EPC_ES (NCR 300) --LIMIT : Limit, has to be positive ---P. Bricker ----- RETURN VALUE: --00.14 23.11.95 Add call to PROPULSION.SWITCH_EPC_TO_FLIGHT_MODE in SET_EAP_IGNITION (NCR 568) P. Bricker ----clipped value of the parameter ----------- --- -OMLVN 00.15 05.01.96 Add call to LAUNCHER.INHIBIT_OBC_SWITCH JCM function LIMIT -in SET_EAP_IGNITION in order to perform : in FLIGHT_TYPES.FLOAT_TYPE; --OBC switch inhibition the same way on (X XLIMIT : in FLIGHT_TYPES.FLOAT_TYPE) -both OBCs. FM-S237/95. return FLIGHT_TYPES.FLOAT_TYPE; --Operation OBC_IS now belongs to COMMUNICATIONS, according to MN-1234. -----end ACTUATORS UTILITIES; ------- Source File Description : Fri Jan 12 17:22:07 1996 Fri Jan 12 17:22:07 1996 acyclic1.ada acyclic1.ada 3 2 -- DESCRIPTION -- This procedure stops the DASDC message being sent and causes Package body for the object ACYCLIC1 -- the activation of the SRI release sequence. -- Target Dependencies : RC : LN1_TYPES.RC_T; Begin -- Stop the 72 ms delay for sending the DASDC messages. --None LN1.T10_STOP_SUSPENDED_DELAY (TASK_ID => ACYCLIC1_INTERNAL.ACYCLIC1_TASK_ ------- Subprogram Mapping : $RC \implies RC$: End ACTIVATE_SRI; Specification Name -- Source Name Fortran Model ----------Procedure IGNITE_VULCAIN Is ------ ACYCLIC1.ADA -- DESCRIPTION M211 (Partially) -- Allows the Vulcain ignition sequence to be activated. None ----Begin _____ if COMMUNICATIONS.OBC_IS = COMMUNICATIONS_TYPES.OBC1 then --H Ada package body for object ACYCLIC1 ACYCLIC1_INTERNAL.OBCS.IGNITE_VULCAIN; --H Generated by HOOD Toolset at 18:48:02_on_22-09-1994 end if: End IGNITE_VULCAIN; --H OBJECT ACYCLIC1 IS ACTIVE Procedure PREPARE_EAP_IGNITION Is --H REQUIRED INTERFACE With ACYCLIC1_INTERNAL; -- DESCRIPTION with TRAJECTORY_TYPES; -- Allows EAP ignition with COMMUNICATIONS; begin with COMMUNICATIONS_TYPES; with PROPULSION; if COMMUNICATIONS.OBC_IS = COMMUNICATIONS_TYPES.OBC1 then ACYCLIC1_INTERNAL.OBCS.EAP_PRE_IGNITION; with ACYCLIC2; with PHASE; end if; with PHASE_TYPES; With LN1; End PREPARE_EAP_IGNITION; With LN1_TYPES; with LAUNCHER; procedure SET_EAP_IGNITION is -- DESCRIPTION Package Body ACYCLIC1 Is -- This operation is to be called on the redundant OBC following -- the observation of the CEX closure during the EAP ignition -- window, -- or when the EAPs have been ignited in the nominal OBC. -- Renames of operation in order to improve readibility : function "=" (LEFT, RIGHT : COMMUNICATIONS_TYPES.OBC_TYPE) return BOOLEAN -- Performs also the inhibition of the OBC switch as soon -- as were are in flight : called by ACYCLIC2 if OBC is BC renames COMMUNICATIONS_TYPES."="; -- and by EXECUTIVE if OBC is RT.

begin

-- PROVIDED OPERATIONS

begin return ACYCLIC1_INTERNAL.FRAME_STARTED_IN_OBC2 ; ACYCLIC1_INTERNAL.ES_TO_BE_DISCONNECTED := ES; end FRAME_STARTED_BY_OBC2 ; select ACYCLIC1_INTERNAL.OBCS.DISCONNECT_EPC_ES; function EAPS_HAVE_IGNITED return BOOLEAN is else ACYCLIC1_INTERNAL.EPC_ES_DISCONNECTION_REQUESTED := TRUE; -- DESCRIPTION -- This operation is to return TRUE when it has detected that end select; -- the EAP booster engines have ignited else begin return ACYCLIC1_INTERNAL.EAPS_IGNITED ; -- EAPs have not yet ignited, ACYCLIC2 performs the end EAPS_HAVE_IGNITED ; -- DISCONNECT_EPC_ES. ACYCLIC2.DISCONNECT_EPC_ES(ES => ES); end if; End ACYCLIC1; End DISCONNECT_EPC_ES; Procedure DISCONNECT_CASE_ES (ES : In PROPULSION_TYPES.ES_TYPE) Is -- DESCRIPTION ---Allows the CASE electrical system disconnection sequence to be --activated begin ACYCLIC1_INTERNAL.ES_TO_BE_DISCONNECTED := ES; select ACYCLIC1_INTERNAL.OBCS.DISCONNECT_CASE_ES; else ACYCLIC1_INTERNAL.CASE_ES_DISCONNECTION_REQUESTED := TRUE; end select; End DISCONNECT_CASE_ES; Procedure COMMUTE Is -- DESCRIPTION -- This operation should not exist???? Begin ACYCLIC1_INTERNAL.OBCS.COMMUTE; End COMMUTE; Procedure COMMUTE_EPE (FAILED_AXIS : in TRAJECTORY_TYPES.JACK_AXIS_TYPE) Is -- DESCRIPTION -- This operation activates the entry point COMMUTE_EPE in -- task OBCS. Begin

acyclic1_.ada Fri Aug 4 11:13:31 1995 1 acyclic1_.ada --H Ada package specification for object ACYCLIC1 - - H --H Generated by HOOD Toolset on 07:51:00_on_21-09-1994 - - H ---H --H IMPLEMENTATION AND SYNCHRONISATION CONSTRAINTS --H OBJECT ACYCLIC1 IS ACTIVE --H DESCRIPTION --H NONE --H \fC --H --H ----- - H -- Project Name: Ariane 5 OnBoard Software - PV - - H ~ ---H -- Object Name: ACYCLIC1 - - H --H ---Object History: - - H ---Version Description/Mod Number(s) Designer - - H - -Version Date - - H --_____ ------ - H --00.00 19.09.94 5.1. A.TB ---- H ---00.01 15.02.95 ST6.1.1 Modifications :-A.J.Hatwell Mod Note 1076, new SET_EAP_IGNITION - - H ---- - H --procedure. 00.02 26.04.95 Updated in line with MN 1136. --H ---V.Tailor 00.02 20.03.95 Updated as per A5-MN-1811-1170-EASM --H ---C.Jones - - H - -00.04 04.08.95 Updated as per - - H ---A5-MN-1811-1076-EASM-R3 --H ---A5-MN-1811-1148-EASM C.Jones --H ----H --- - H - - H --H ACYCLIC1 shall allow the SRI release sequence to be activated from the operation ACTIVATE_SRI. --H --H - - H The Vulcain may be ignited via the operation IGNITE_VULCAIN. The date of ignition shall be obtained from DATE and the sequence activated. If the --H sequence is successful the EAPs may then be ignited otherwise the Vulcain - - H - - H shall be stopped (via ACYCLIC2). --H - - H As described above once the Vulcain has been correctly ignited the EAP --H ignition sequence may be activated via the operation PREPARE_EAP_IGNITION. --H This operation activates the EAP pre-ignition sequence. If the EAP --H pre-ignition is successful ACYCLIC1 shall suspend until just before the --H EAP ignition is activated, it shall then activate the EAP ignition sequence --H (via ACYCLIC2) otherwise the Vulcain stop sequence shall be activated. --H Once the EAPs are ignited one may only disconnect the CASE or EPC electric --H systems via the operations DISCONNECT_CASE_ES and DISCONNECT_EPC_ES. If - - H

with PROPULSION_TYPES; with TRAJECTORY TYPES; package ACYCLIC1 is --H PROVIDES OPERATIONS procedure START; procedure ACTIVATE_SRI; -- Allows the SRI release sequence to be activated --H LSER -procedure IGNITE_VULCAIN; -- Allows the ignition sequence for both the Vulcain to be --H LSER -- activated. The EPC ignition sequence will be activated -- at the date of H0. procedure PREPARE EAP IGNITION: --H LSER -- Allows the EAP pre-ignition and ignition sequence to be -- activated. The pre-ignition sequence shall be activated -- and if it is successful the EAP ignition sequence shall -- be activated. In the case of the pre-ignition being -- unsuccessful the EAP ignition shall be aborted and the -- EPC stop sequence shall be activated. procedure DISCONNECT_EPC_ES (ES : in PROPULSION_TYPES.ES_TYPE); -- Allows an EPC electrical system disconnection sequence to -- be activated. -procedure DISCONNECT_CASE_ES (ES : in PROPULSION_TYPES.ES_TYPE); --H LSER -- Allows a CASE electrical system disconnection sequence to -- be activated. procedure COMMUTE: -- Allows the commutation to be handled and the recovery -- sequences to be activated. procedure SET_EAP_IGNITION;

-- This operation is to be called on the redundant OBC following the observati

2

Fri Aug 4 11:13:31 1995

\fP

Alias detection

- **10-year long work** by Alain Deutsch ---- IABC (*INRIA Interprocedural Array Bounds Checker*)
- big community of "alias analysis", "points-to analysis"
- static analysis, abstract interpretation
- approximation of result
- ensures no-aliases
- IABC worked on C programs
- efficient program and rather precise

From Ada to C and IABC



Assembly language parts

- read documentation
- make ADA stubs



SHARED-SCALAR-DATA-TABLE-SUMMARY.txt

570

main

File generated on Jan 24, 1997 by IABC V0.1, the INRIA static program analyzer.

Level 0 Concurrency Analysis for scalars accessed by:

- T1) ACYCLIC1_INTERNAL.OBCS_TYPE (task), "acyclic1_internal_.ada" line 63, column 4: Task type OBCS_TYPE Is
- T2) ACYCLIC2_INTERNAL.OBCS_TYPE (task), "acyclic2_internal_.ada" line 69, column 4: Task type OBCS_TYPE Is
- T3) CYCLICS_INTERNALS.CYCLICS_OBCS_TYPE (task), "cyclics_internal_.ada" line 194, column 2: Task type CYCLICS_OBCS_TYPE Is
- T4) EXECUTIVE_INTERNAL.OBCS_TYPE (task), "executive_internal_.ada" line 50, column 3: task type OBCS_TYPE is
- T5) GUIDANCE_CONTROL_INTERNAL.OBCS_TYPE (task), "guidance_control_internal_.ada" line 51, column 0: Task type OBCS_TYPE Is

	variable	type	reads	writes
1	ACTUATORS_INTERNAL.PAYLOAD_NBR	-3276832767	{T2}	{T3}
× 2	ACYCLIC1_INTERNAL.ACYCLIC1_TASK_ID	12147483647	{T3}	{T1}
¥ 3	ACYCLIC1_INTERNAL.AXIS_TO_BE_COMMUTED	u_axisv_axis	{T1}	{T3}
x 4	ACYCLIC1_INTERNAL.CASE_ES_DISCON_REQUESTED	falsetrue	{T1}	{T1,T3}
× 5	ACYCLIC1_INTERNAL.COMMUTE_EPE_REQUESTED	falsetrue	{T1}	{T1,T3}
× 6	ACYCLIC1_INTERNAL.EAPS_IGNITED	falsetrue	{T1,T3}	{T1,T4}
× 7	ACYCLIC1_INTERNAL.EPC_ES_DISCONN_REQUESTED	falsetrue	{T1}	{T1,T3}
> 8	ACYCLIC1_INTERNAL.ES_TO_BE_DISCONNECTED	es1es2	{T1}	{T3}
> 9	ACYCLIC1_INTERNAL.FRAME_STARTED_IN_OBC2	falsetrue	{T3}	{T1}
10	ACYCLIC2_EVENT_QUEUE.POP_POINTER	event_1event_8	{T2}	$\{T1, T2\}$
- 11	ACYCLIC2_EVENT_QUEUE.PUSH_POINTER	event_1event_8	{T1}	{T3}
<12	ACYCLIC2_INTERNAL.DISCONNECT_ES	falsetrue	{T2}	{T3}
, 13	ACYCLIC2_INTERNAL.ES_TO_BE_DISCONNECTED	es1es2	{T2}	{T3}
14	BGY_INTERNAL.DIAL_BGY1	-3276832767	{T3,T4}	{T3,T4}
15	BGY_INTERNAL.DIAL_BGY2	-3276832767	{T3,T4}	{T3,T4}
16	BGY_INTERNAL.FIRST_PASS	falsetrue	{T3,T4}	{T3,T4}
17	BGY_INTERNAL.ILC1	-3276832767	{T3,T4}	{T3,T4}
18	BGY_INTERNAL.ILC2	-3276832767	{T3,T4}	{T3,T4}
19	BGY_INTERNAL.ITG1	-3276832767	{T3,T4}	{T3,T4}
20	BGY_INTERNAL.ITG2	-3276832767	{T3,T4}	{T3,T4}
21	BGY_INTERNAL.MASIL1	no_failuredefinitive_failure	{T3,T4}	{T3,T4}
22	BGY_INTERNAL.MASIL2	no_failuredefinitive_failure	{T3,T4}	{T3,T4}
23	BGY_INTERNAL.MASIT1	no_failuredefinitive_failure	{T3,T4} [•]	{T3,T4}
24	BGY_INTERNAL.MASIT2	no_failuredefinitive_failure	{T3,T4}	{T3,T4}

97/01/24 12:25:07

SHARED-SCALAR-DATA-TABLE-SUMMARY.txt



0.5				
25	BGY_INTERNAL.NTEN1	-3276832767	{T3,T4}	$ \{T3, T4\}$
26	BGY_INTERNAL.NTEN2	-3276832767	{T3,T4}	{T3,T4}
27	BGY_INTERNAL.PGL1	-3276832767	{T3,T4}	$\{T3, T4\}$
28	BGY_INTERNAL.PGL2	-3276832767	{T3,T4}	$\{T3, T4\}$
29	BGY_INTERNAL.PGT1	-3276832767	{T3,T4}	$\{T3, T4\}$
30	BGY_INTERNAL.PGT2	-3276832767	{T3,T4}	$\{T3, T4\}$
31	CYCLICS_INTERNALS.DOUBLE_FAILURE	falsetrue	$\{T3, T4\}$	$\{T3, T4\}$
×32	CYCLICS_INTERNALS.EPS_PRESSURISE_FIRST_CALL	falsetrue	{T2}	{T3}
33	CYCLICS_INTERNALS.IN_EAP_TO_EPC_TRANSITION	falsetrue	{T4}	{T3}
34	CYCLICS_INTERNALS.INHIBIT_TRAJECTORY	falsetrue	{T3,T4}	$\{T3, T4\}$
35	CYCLICS_INTERNALS.OVERALL_CYCLE_COUNT	12147483647	{T4}	- (<u>-</u>) { <u>π</u> 3}
36	CYCLICS_INTERNALS.SRI_BGY_MEASUREMENT_FAILURE	falsetrue	{T3,T4}	{m3,m4}
37	CYCLICS_INTERNALS.SRI_NEVER_COMMUTED	falsetrue	{T3,T4}	$\{T3, T4\}$
38	DATE.EPC_STOP_MOTOR_REASON	no_stoplow_level	{T3}	$\{T3, T5\}$
Χ39	DATE.EPS_IGNITION_COUNTER	03	{T2,T5}	{TT3}
40	DATE.EPS_STOP_MOTOR_REASON	no_extinctiondate	{T3}	{m3 m5}
41	DATE_PAYLOAD_SETUP.ACTIVE_POINTER	022	{T2}	{m3}
42	ELECTRICAL_SYSTEM_INTERNAL.EPE_EPS_COMMUTE_OK	falsetrue	{T1,T2,T3}	ן (באָן) {ידי ידי ידי ידי ידי ידי ידי ידי ידי יד
43	ELECTRICAL_SYSTEM_INTERNAL.EPHCOMMUTE_OK	falsetrue	{T1,T2,T3}	[(<u>1</u> , <u>12</u> , <u>13</u>] [{ <u>π</u> 1 <u>π</u> 2 <u>π</u> 3]
44	ELECTRICAL_SYSTEM_INTERNAL.EPHCOMMUTE_OK	falsetrue	{T1,T2,T3}	{T1 T2, T2, T3 }
45	ELECTRICAL_SYSTEM_INTERNAL.EPH_EPC_COMMUTE_OK	falsetrue	$\{T_1, T_2, T_3\}$	(11,12,13) {Ͳ1 Ͳ2 Ͳ3}
46	ELECTRICAL_SYSTEM_INTERNAL.ES_CSCONNECT_OK	falsetrue	$\{T_1, T_2, T_3\}$	{T1 T2, T2, T3]
⋟ 47	ELECTRICAL_SYSTEM_INTERNAL.ES_ESCONNECT_OK	falsetrue	$\{T_1, T_2\}$	(11,12,13) {Ͳ1 ⁻ Ͳ2}
\sim 48	EPC_INTERNAL.EPH_DISCONNECTED	falsetrue	{T3}	(11,12) {Ͳ2}
× 49	EPC_INTERNAL.INHIBIT_DETECT_CORRECT	falsetrue	- (12) - {π3}	[[12] [{m1}
√ 50	EPC_INTERNAL.PERFORMING_STOP_VULCAIN	falsetrue	{	(11) {m1 m2}
× 51	EPC_INTERNAL.STOP_SEQUENCE_NUMBER	stop sequence 0stouence 3	$\{ \pi_1, \pi_2, \pi_4 \}$	$\int \left\{ \frac{1}{2}, \frac{1}{2} \right\}$
√ [∼] 52	EPC_TANKS_INTERNAL.CONTINUE_EPCCYCLIC_PROC	falsetrue	{T3}	(11,12,14) {Ͳ1 Ͳ2\
× 53	EQUIP.I_AM_BC	falsetrue	{T1,T2,T3,T4}	(11,12) {π1 π2 π/ι
≮ 54	EQUIP.THE_SRI1_IS_NOMINAL	falsetrue	$\{T_1, T_2, T_3, T_4\}$	(II, IZ, II) {Ͳ1 Ͳ3 ͲΛ
ζ 55	EV.CAN_SWITCH_OBC	falsetrue	$\{ T_1, T_2, T_3 \}$	(11,13,14) {m1 m/l
56	GUIDANCE_INTERNAL.BLOC	falsetrue	{ T 3 T 5 }	(II,I4) /m2 m5l
57	GUIDANCE_INTERNAL.DTHA_FLAG	of 16 cyclesof 64 cycles	{T3, T5}	(13,13) {m3 m5}
58	GUIDANCE_INTERNAL.ISEG_FLT	-3276832767	{T3, T5}	(13,13) {m3 m5}
59	GUIDANCE_INTERNAL.KBAL	falsetrue	{T3}	(10,10) (m5)
60	GUIDANCE_INTERNAL.KD	-3276832767	{T3}	(15) (m5)
61	GUIDANCE_INTERNAL.KPANNE	falsetrue	{ T 3 T 5 }	(I) (I)
62	GUIDANCE_INTERNAL.NBSEG	-3276832767	{ []] [] []] [] []] []] [] []] [] []] [] []] [] []] [] []] [] [] []] [] []] [] [] []] [] [] []] [] [] [] [] [] []] [] [] [] [] [] [] []] [(IJ,IJ) (M3 m5)
63	GUIDANCE_INTERNAL.NCOIF	-3276832767	{T3, T5} {T3, T5}	(13,13) (m3 m5)
64	GUIDANCE_INTERNAL.NCOM	-3276832767	{T5, 15, {T5, 15,	[{13,13} [{m3 m5]
65	GUIDANCE_INTERNAL.NFIN	-3276832767	ן ניסן { תק תקן	[(II), ID}
66	GUIDANCE_INTERNAL.NSEP	-3276832767	ן ניס,יס, {חק הקו	[{13,13} [{m3 me]
67	GUIDANCE_INTERNAL.NUMBAL	-3276832767	ן ניס,יס; ניס,יס; ניס,יס;	{I3,I3} {m3 m5}
imes 68	OBC_INTERNAL.HOR	-21474836482147483647	ן (גס,גס) {תא תקו	{IJ,IJ}
<u></u> ж 69	OBC_INTERNAL.INHIBIT_DASDC_MESSAGE	falsetrue	(13,13) {m1,m3}	\⊥ '' ∫ {ጥ1 ጥጋ ጥ/\\



SHARED-SCALAR-DATA-TABLE-SUMMARY.txt



⊀70	OBC_INTERNAL.MONITOR_FIRST_PASS	falsetrue	{T1,T3}	{T1,T3}
× 71	OBC_INTERNAL.PHASE1_TRANSITION_INHIBITED	falsetrue	{T4}	$\{T1, T2, T4\}$
∀72	PHASE_INTERNAL.CURRENT_PHASE	undefinedeps_qdp	$\{T1, T2, T3, T4\}$	$\{T1, T2, T3, T4\}$
_₹ 73	PHASE_INTERNAL.ON_GROUND	falsetrue	$\{T1, T2, T4\}$	{T3}
74	PILOT_INTERNAL.FIXED_BRAQUAGE_REQUESTED	falsetrue	$\{T3, T4\}$	$\{T3, T4\}$
75	PILOT_INTERNAL.IEPX	-3276832767	{T4}	{T3}
76	PILOT_INTERNAL.NFIEPX	-3276832767	{T4}	{T3}
77	PILOT_INTERNAL.NRAZ	-3276832767	$\{T3, T4\}$	$\{T3, T4\}$
imes78	SIMU_DATA.NEXT_INPUT_NB	132	$\{T1, T2, T3, T4\}$	$\{T1, T2, T3, T4\}$
79	SRI_INTERNAL.DIAL_AMONT_SRIN	-3276832767	$\{T3, T4\}$	{T3,T4}
80	SRI_INTERNAL.DIAL_AMONT_SRIS	-3276832767	$\{T3, T4\}$	$\{T3, T4\}$
81	SRI_INTERNAL.IALAT	-3276832767	$\{T3, T4\}$	$\{T3, T4\}$
82	SRI_INTERNAL.IHACC	falsetrue	{T4}	{T3}
83	SRI_INTERNAL.IHATT	falsetrue	{T4}	{T3}
84	SRI_INTERNAL.LGCFIL	falsetrue	{T3,T4}	{T3,T4}
85	SRI_INTERNAL.NOCYN	-21474836482147483647	{T3,T4}	{T3,T4}
86	SRI_INTERNAL.NOCYNP	-21474836482147483647	{T3,T4}	{T3,T4}
87	SRI_INTERNAL.NOCYS	-21474836482147483647	{T3,T4}	$\{T3, T4\}$
88	SRI_INTERNAL.NOCYSP	-21474836482147483647	{T3,T4}	$\{T3, T4\}$
89	SRI_INTERNAL.SRI_VALIDITY	both_okbackup_only	{T3,T4}	{T3,T4}
90	SRI_INTERNAL.UPSTREAM_FIRST_PASS	falsetrue	{T3,T4}	{T3,T4}
≤91	TIMER_INTERNAL.CURRENT_NAVIGATION_CYCLE	cycle_1cycle_8	{T1,T3}	{T1,T3}
92	TIMER_INTERNAL.PHASE_CYCLE_COUNTER	032767	{T1,T4}	$\{T1, T4\}$
<i>⇒</i> 93	TIMER_INTERNAL.PREDICTED_AWOKEN_DATE	-21474836482147483647	{T3}	$\{T1, T2, T3, T4\}$
imes 94	TIMER_INTERNAL.SIXTEEN_CYCLE_COUNT	cycle_1cycle_16	{T1,T3}	{T1,T3}
95	UCTM_INTERNAL.ACTUAL_H0	-21474836482147483647	{T1,T2,T3}	{T4}
≈96	UCTM_INTERNAL.APP_CR_BC_ID_INDEX	12	{T1,T2,T3,T4}	$\{T1, T2, T3, T4\}$
∀97	UCTM_INTERNAL.CURRENT_READ_POINTER_EVENT	18	{T1,T2,T3,T4}	$\{T1, T2, T3, T4\}$
imes98	UCTM_INTERNAL.CURRENT_WRITE_POINTER_EVENT	18	{T1,T2,T3}	$\{T1, T2, T3\}$
99	UCTM_INTERNAL.KD_DM	125	{T3}	{T3,T5}
100	UCTM_INTERNAL.MSG_6_BC_ID_INDEX	13	{T1,T2,T3,T4}	$\{T1, T2, T3, T4\}$
×101	UCTM_INTERNAL.OBC_STATE	initialiseapplicatbc_mode	{T1,T2,T3,T4}	$\{T1, T2, T4\}$
入102	UCTM_INTERNAL.TELE_IS_STOPPED	falsetrue	{T3}	$\{T1, T2, T4\}$



File generated on Jan 24, 1997 by IABC V0.1, the INRIA static program analyzer.









SHARED-NON-SCALAR-DATA-TABLE-SUMMARY.txt

File generated on Jan 24, 1997 by IABC V0.1, the INRIA static program analyzer.

Level	l O Concurrency Analysis for non scalars accessed by:
_T1)	ACYCLIC1_INTERNAL.OBCS_TYPE (task), "acyclic1_internalada" line 63, column 4:
	Task type OBCS_TYPE Is ^
'т2)	ACYCLIC2_INTERNAL.OBCS_TYPE (task), "acyclic2_internalada" line 69, column 4:
71	Task type OBCS_TYPE Is
/	^
₩T3)	CYCLICS_INTERNALS.CYCLICS_OBCS_TYPE (task), "cyclics_internalada" line 194, column 2:
$\left[\right]$	Task type CYCLICS_OBCS_TYPE Is ^
⁺ T4)	EXECUTIVE_INTERNAL.OBCS_TYPE (task), "executive_internal .ada" line 50, column 3:
)	task type OBCS_TYPE is
V,	
т5)	GUIDANCE_CONTROL_INTERNAL.OBCS_TYPE (task), "guidance_control_internalada" line 51, column 0:

Task type OBCS_TYPE Is

	variable	type	reads	writes
1	<asm-globals></asm-globals>		{}	$\{T1, T2, T3, T4\}$
2	ACYCLIC2_EVENT_QUEUE.QUEUE	array(event_1eventrecord>	{T1,T2}	$\{T1, T2, T3\}$
3	ATTITUDE_INTERNAL.GHA_COMMANDS	# <record></record>	{T3}	{T3,T5}
4	ATTITUDE_INTERNAL.PSID	float	{T4}	{T3}
5	ATTITUDE_INTERNAL.TETAD	float	{T4}	{T3}
6	ATTITUDE_INTERNAL.VPSID	float	{T4}	{T3}
7	ATTITUDE_INTERNAL.VTETAD	float		{T3}
8	BGY_INTERNAL.MEAN_VELOCITIES	# <record></record>	{T3,T4}	{T3,T4}
9	BGY_INTERNAL.XPIL	# <record></record>	{T4}	{T3}
10	CYCLICS_INTERNALS.TIME_AUTOPILOCLE_STARTED	float	{T3}	{T4}
11	DATA_TABLES_INTERNAL.A6L	float		{T3}
12	DATA_TABLES_INTERNAL.A6T	float	{T4}	{T3}
13	DATA_TABLES_INTERNAL.BF_0	# <record></record>	{T4}	{T3}
14	DATA_TABLES_INTERNAL.BLCOMP	float	{T4}	{T3}
15	DATA_TABLES_INTERNAL.BMAX	array(13) of float		{T3}
16	DATA_TABLES_INTERNAL.BPF_0	# <record></record>		{T3}
17	DATA_TABLES_INTERNAL.GAINC	array(129) of float	{T4}	{T3}
18	DATA_TABLES_INTERNAL.GAING	array(129) of float	{T4}	{T3}
19	DATA_TABLES_INTERNAL.GAINK	array(129) of float	{T4}	{T3}
20	DATA_TABLES_INTERNAL.GAINST	array(13) of float		{T3}
21	DATA_TABLES_INTERNAL.GICL	float	{T4}	{T3}
22	DATA_TABLES_INTERNAL.GICT	float	{T4}	{T3}
23	DATA_TABLES_INTERNAL.KL	array(13) of float	{T4}	{T3}
24	DATA_TABLES_INTERNAL.KT	array(13) of float	{T4}	{T3}



SHARED-NON-SCALAR-DATA-TABLE-SUMMARY.txt

2

25	DATA_TABLES_INTERNAL.PF 1 2	# <record></record>	((m
26	DATA_TABLES INTERNAL.PHID	float	{'1'4} (m4)	{T3}
27	DATA TABLES INTERNAL. VBMAX	$\operatorname{array}(1, 3)$ of float	{'I'4} (m4)	{T3}
28	DATA TABLES INTERNAL. VPHID	float	{14}	[{'T'3 }
29	DATA TABLES INTERNAL, XBVERU	float	{14}	[{'I'3 }
30	DATA TABLES INTERNAL, XBVERV	float	{14}	{'I'3}
31)	DATE.DESCRIPTOR TABLE	array(oan start one meand	$\{T4\}$	{T3}
32)	DATE PAYLOAD SETUP LIST	array(1, 22) of #crossed	{T1, T2, T3, T4, T5}	$\{T2, T3, T4, T5\}$
33	EPC INTERNAL.AT HR1	# <record></record>	{'T2}	{T3}
34	EPC INTERNAL, AT HR2	# <record></record>	$\{TI, T2\}$	{T1,T2}
35	EPC INTERNAL STEP 51 DATE	# <record></record>	$\{T1, T2\}$	{T1,T2}
36	EPC INTERNAL STOP SEC1 DATE	# <record></record>	{T1,T2}	{T1,T2}
37	EPC INTERNAL STOP SEC2 DATE	# <record></record>	{T1,T2}	{T1,T2}
38	EPC INTERNAL STOP SUB SEO DATE	# <record></record>	{T1,T2}	{T1,T2}
39	EPC TANKS INTERNAL LOX LH2 HE VALVE STATE	# <record></record>	{T1,T2}	{T1,T2}
40	EOUTP FUNCTIONAL STATES	array(evppolevpe2)record>	{T1,T3}	{T1,T3}
41	EQUIP SEL STATUS WORD	array(eq_nulleq_kbservice	{T1,T2,T3}	{T1,T2,T3,T4}
42	ES AXIS NOT FAILED INT	# <record></record>	{T1,T2,T3,T4}	{T1,T2,T3,T4}
43	EV STATE CMD	array(axis_uaxis_vetrue	{T2}	{T1,T2,T3}
44	EV STATE CMD 2	array(group_epc_1getrue	{T1,T2,T3}	{T1,T2,T3}
45	EV STATE_COMMUTE	array(group_epc_1getrue	{T3}	{T1,T2,T3}
46	GUIDANCE INTERNAL C M	array(group_epc_1getrue	{T3}	{T1,T2,T3}
47	GUIDANCE INTERNAL COFF	array(15, 15) of float	{T5}	{T3,T5}
48	GUIDANCE INTERNAL COMA	array(12) of float	{T3}	{T5}
49	GUIDANCE INTERNAL COMA	array(13) of float	{T3,T5}	{T3,T5}
50	GUIDANCE INTERNAL COMAZ	array(13) of float	{T3,T5}	{T3,T5}
51	GUIDANCE INTERNAL COMP	array(13) of float	{T3,T5}	{T3,T5}
52	CUIDANCE INTERNAL COMP	array(13) of float	{T3,T5}	{T3,T5}
53	GUIDANCE INTERNAL COMBZ	array(13) of float	{T3,T5}	{T3,T5}
54	CUIDANCE INTERNAL COMBBC	array(13) of float	{T3,T5}	{T3,T5}
55	CUIDANCE INTERNAL COMMANDS	array(15) of arrayf float	{T3}	{T5}
56	CUIDANCE INTERNAL DELIAI	array(135) of float	{T5}	{T3,T5}
57	CUIDANCE INTERNAL DINCHA	float	{T4}	{T3}
58	CUIDANCE INTERNAL DIGHA	Iloat (1. 25) 5 5	{T3,T5}	{T3,T5}
59	GUIDANCE INTERNAL DUMAX	array(135) of float	{T5}	{T3,T5}
60	CUIDANCE INTERNAL INC	array(125) of float	{T5}	{T3,T5}
61	CUIDANCE INTERNAL INCOM	$ \operatorname{array}(125) \text{ of } -3276832767 $	{T3,T5}	{T3,T5}
62	CUIDANCE INTERNAL K17	float	{T4}	{T3}
63	CUIDANCE_INTERNAL.KIZ	array(15) of -3276832767	{T5}	{T3,T5}
64	CUIDANCE_INTERNAL.KZZ	array(15) of -3276832767	{T5}	{T3,T5}
65	CUIDANCE_INTERNAL.MBAL	array(03) of float	{T3,T5}	{T3,T5}
65	GUIDANCE INTERNAL MCOIF	1loat	{T5}	{T3}
67	GUIDANCE INTERNAL ME	array(12) of float	{T3}	{T5}
60	CUIDANCE INTERNAL METAG	array(12) of float	{T3}	{T5}
60	GUIDANCE INTERNAL NORDER	array(15) of -3276832767	{T3,T5}	{T3,T5}
69	GOIDANCE_INTERNAL.NORDRE	array(125) of -3276832767	{T3}	{T5}



ass non reentant

SHARED-NON-SCALAR-DATA-TABLE-SUMMARY.txt

8

1 GUIDANCE_INTERNAL.TREOP $array(15)$ of $-3276832767 (TS) (TS) (TS) 2 GUIDANCE_INTERNAL.TACQSRIAV float (TS) (TS) $	70	GUIDANCE_INTERNAL.NORMER	float	{ መ 3 ነ	(mE)
22 GUIDANCE_INTERNAL.TALUDEPS float (173, 75) (173, 75) 23 GUIDANCE_INTERNAL.TCC array(05) of float (73, 75) (73, 75) 24 GUIDANCE_INTERNAL.TCC array(05) of float (73, 75) (73, 75) 25 GUIDANCE_INTERNAL.TCC array(05) of float (73, 75) (73, 75) 25 GUIDANCE_INTERNAL.TCC float (73, 75) (73, 75) 26 GUIDANCE_INTERNAL.TEPCCRED float (73, 75) (73, 75) 27 GUIDANCE_INTERNAL.TRES array(05) of float (73, 75) (73, 75) 27 GUIDANCE_INTERNAL.TRES array(05) of float (73, 75) (73, 75) 28 GUIDANCE_INTERNAL.TALED float (73, 75) (73, 75) 29 GUIDANCE_INTERNAL.TALED array(05) float (73, 75) (73, 75) 29 GUIDANCE_INTERNAL.TESSER array(13) of float (73, 75) (73, 75) 20 GUIDANCE_INTERNAL.SUBSER array(05) float (73, 74) (73, 74) 30 GUIDANCE_INTERNAL.YENSER array(a, 0.5) float (73, 74)	71	GUIDANCE_INTERNAL.NPROP	array(1.5) of -32768 32767	{IJ} {TT5}	{ T O }
73 GUDANCE_INTERNAL.TCLUEPS float (r3, r5) (r3, r5) 74 GUDANCE_INTERNAL.TC array(05) of float (r3, r5) (r3, r5) 75 GUDANCE_INTERNAL.TCB array(13, 05) of float (r3, r5) (r3, r5) 76 GUDANCE_INTERNAL.TCCB float (r3, r5) (r3, r5) (r3, r5) 77 GUDANCE_INTERNAL.TESCRED float (r3, r5) (r3, r5) (r3, r5) 78 GUDANCE_INTERNAL.TESCRED float (r3, r5) (r3, r5) (r3, r5) 78 GUDANCE_INTERNAL.TRSS array(13, 05) of float (r3, r5) (r3, r5) (r3, r5) 79 GUDANCE_INTERNAL.TB array(13, 05) of float (r3, r5) (r3, r6) (r4, r2, r5, r4) (r5)	72	GUIDANCE_INTERNAL.TACQSRIAV	float	{IJ} {m3 m5}	{T3,T5} (m2,m5)
74 GUIDANCE_INTERNAL.TC array(05) of float (11.15) (13.12) 75 GUIDANCE_INTERNAL.TCBC array(05) of float (T3) (T5) 76 GUIDANCE_INTERNAL.TCPCRED float (T3) (T5) 77 GUIDANCE_INTERNAL.TCPCS float (T3, T5) (T3, 75) (T3, 75) 78 GUIDANCE_INTERNAL.TCPSPRED float (T3, T5) (T3, 75) (T3, 74)	73	GUIDANCE_INTERNAL.TALLUEPS	float	{T3,T3}	{T3,T5} {m2,m5}
75 GUIDANCE_INTERNAL.TCB array(15, 05) of float (13, 75) (13, 75) 76 GUIDANCE_INTERNAL.TEPRCS float (13, 75) (13, 75) (13, 75) 77 GUIDANCE_INTERNAL.TEPRCS float (13, 75) (13, 75) (13, 75) 78 GUIDANCE_INTERNAL.TEPSPERD float (13, 75) (13, 75) (17, 75) 78 GUIDANCE_INTERNAL.TEPSPERD float (13, 75) (17, 75) (17, 75) 80 GUIDANCE_INTERNAL.TALID float (13, 75) (17, 75) (17, 75) 81 GUIDANCE_INTERNAL.TSEG array(13) float (13, 75) (17, 75) 82 GUIDANCE_INTERNAL.XTSEG array(13) float (13, 75) (13, 75) (13, 75) 84 GUIDANCE_INTERNAL.XTSEG array(13, 05, 1float (13, 74) (17, 74) 85 IAL.NERCONCE_ACTIVE #creoord> (10 (11, 72, 73, 74) 86 UIDANCE_INTERNALACKERACTIVE #creoord> (1) (11, 72, 73, 74) 86 IAL.SLEARAN_CANDE_ACTIVE #creoord> (1) (11, 72, 73, 74) 87 <td>74</td> <td>GUIDANCE_INTERNAL.TC</td> <td>$\operatorname{array}(0, 5)$ of float</td> <td>{13,13} (m2 mE)</td> <td>$\{T3, T5\}$</td>	74	GUIDANCE_INTERNAL.TC	$\operatorname{array}(0, 5)$ of float	{13,13} (m2 mE)	$\{T3, T5\}$
76 GUIDANCE, INTERNAL, TECORFPED Filed (13) (13) (13) 77 GUIDANCE, INTERNAL, TECORS filed (13) (13) (13) (13) 78 GUIDANCE, INTERNAL, TEPCRED filed (13)	75	GUIDANCE_INTERNAL.TCB	array(1, 3, 0, 5) of float	{13,15} (m2)	{T3,T5}
77 GUIDANCE_INTERNAL.TERCOS fibat (13,13) (13,13) (13,15) 78 GUIDANCE_INTERNAL.TERCORED fibat (13,75) (13,75) (13,75) 79 GUIDANCE_INTERNAL TERSPERD fibat (13,75) (13,75) (13,75) 71 GUIDANCE_INTERNAL TRALTD fibat (13,75) (13,75) (13,75) 80 GUIDANCE_INTERNAL TALID fibat (13,75) (13,75) (13,75) 81 GUIDANCE_INTERNAL TARIST array(1.35) of float (13,75) (13,75) (13,75) 83 GUIDANCE_INTERNAL XFISEG array(1.3,1,0,5,1,,float (13,74) (13,74) (13,74) 84 GUIDANCE_ANTIVE #trecords (10, (17,74), (13,74) (14,74) 85 GUIDANCE_ANTIVE #trecords (10, (17,74), (17,73,74) 86 IAL, SIZZAFANTRELATIVE #trecords (10, (17,73,74), (17,73,74) 87 IAL, USZIZAFANTRELATIVE #trecords (10, (17,72,73,74) 88 INLUSZZARAL ARTIVE #trecords (10, (11,72,73,74) 94 IAL, USZIZAFANTERME_ACTIVE #trecords (10, (17,72,73,74)	76	GUIDANCE INTERNAL. TCOIFPRED	float	{'T'3 } (m2 mc)	{'T5}
78 GUIDANCE_INTERNAL.TERPORT 110at (T3, T5) (T3, T5) (T3, T5) 79 GUIDANCE_INTERNAL.TERPORT 110at (T3, T5) (T3, T5) (T3, T5) 80 GUIDANCE_INTERNAL.TRES array(05) of float (T3, T5) (T3, T5) (T3, T5) 81 GUIDANCE_INTERNAL.0B array(13) of float (T3, T5) (T3, T5) (T3, T5) 83 GUIDANCE_INTERNAL.NB array(13, 13) of float (T3, T5) (T3, T5) (T3, T5) 84 GUIDANCE_INTERNAL.XPTSE0 array(13, 05) of float (T3, T5) (T3, T5) 85 GUIDANCE_INTERNAL.XPTSE0 array(13, 05) of float (T3, T4) (T3, T5) 86 JACKS_INTERNALS.JACKS_DATA array(13, 05) of float (T3, T4) (T1, T2, T3, T4) 87 LNI.UES10_CONTEQLOSERVER_ACTIVE # <record> () (T1, T2, T3, T4) 88 LNI.UES22_CAST_WRITE_ACTIVE #<record> () (T1, T2, T3, T4) 91 LNI.UES24_CANNEE_MODE_ANSWER ACTIVE #<record> () (T1, T2, T3, T4) 92 LNI.UES24_CANNEE_MODE_ANSWER ACTIVE #<record> () (T1, T2, T3, T4)</record></record></record></record>	77	GUIDANCE INTERNAL. TEPCCS	float	{T3, T5}	{T3,T5}
79GUIDANCE_INTERNAL.TEPSPEDFloat(T3, T5)(T3, T5)80GUIDANCE_INTERNAL.TRESFloat(T3, T5)(T3, T5)81GUIDANCE_INTERNAL.TRESarray(0.5) of float(T3, T5)(T3, T5)82GUIDANCE_INTERNAL.U1float(T3, T5)(T3, T5)83GUIDANCE_INTERNAL.U1array(1.3) of float(T3, T5)(T3, T5)84GUIDANCE_INTERNAL.NPTSEGarray(1.3, 1.35) of float(T3)(T5)85GUIDANCE_INTERNAL.XPTSEGBarray(0.5, 1.6) of float(T3, T5)(T3, T5)86JACKS_INTERNALS.JACKS_DATAarray(eap1eps) of # <record>(T3, T4)(T3, T4)87LNI.NL_PROCEURE_ACTIVE#<record>(1)(T1, T2, T4)88LNI.UES12_CANT,WETTE ACTIVE#<record>(1)(T1, T2, T3, T4)99LNI.UES12_CANTE, DATA_ACTIVE#<record>(1)(T1, T2, T3, T4)91LNI.UES4_WITED ATA_ACTIVE#<record>(1)(T1, T2, T3, T4)91LNI.UES4_WITED ATA_ACTIVE#<record>(1)(T1, T2, T3, T4)91LNI.UES4_WITEA_ACUTIVE#<record>(1)(T1, T2, T3, T4)93LNI.UES4_WITEA_ACUTIVE#<record>(1)(T1, T2, T3, T4)94LNI.UES4_WITEA_ACUTIVE#<record>(1)(T1, T2, T3, T4)95LNI.UES4_WITEA_ACUTIVE#<record>(1)(T1, T2, T3, T4)94LNI.UES4_WITEA_ACUTIVE#<record>(1)(T1, T2, T3, T4)95LNI.UES4_WITEA_ACUTIVE#<record>(1)(</record></record></record></record></record></record></record></record></record></record></record></record>	78	GUIDANCE INTERNAL. TEPCPRED	float	{·I·2 }	$\{T3, T5\}$
80 GUIDANCE_INTERNAL_THES 1 rate (13,75) (13,75) (13,75) 81 GUIDANCE_INTERNAL_TVALID float (13,75) (13,75) (13,75) 81 GUIDANCE_INTERNAL_UB array(05) of float (13,75) (13,75) 83 GUIDANCE_INTERNAL.NESC array(13) of float (13,75) (13,75) 84 GUIDANCE_INTERNAL.XPTSEG array(05, 1) float (13,75) (13,75) 85 GUIDANCE_INTERNAL.XPTSEGB array(13,0) of float (13,74) (17,74) 86 ILL.NL_PROCEDURE_ACTIVE # <records< td=""> (1 (11,72,73,74) 87 INI.UES10_CONSUMER_ACTIVE #<records< td=""> (1 (11,72,73,74) 81 INI.UES2_FAST_WRITE_ACTIVE #<records< td=""> (1 (11,72,73,74) 91 INI.UES2_FAST_WRITE_ACTIVE #<records< td=""> (1 (11,72,73,74) 92 IAI.UES4_WRITE_DATA_ACTIVE #<records< td=""> (1 (11,72,73,74) 91 IAI.UES5_ERD_DATA_ACTIVE #<records< td=""> (1 (11,72,73,74) 93 IAI.UES4_S</records<></records<></records<></records<></records<></records<>	79	GUIDANCE INTERNAL TEPSPRED	float	{T3, T5}	$\{T3, T5\}$
81 GUIDANCE_INTERNAL.UTALLD Itag (0) of float (13,75) (13,75) 82 GUIDANCE_INTERNAL.UI array(135) of float (13,75) (13,75) 84 GUIDANCE_INTERNAL.KPTSEG array(13, 135) of float (13,75) (13,75) 84 GUIDANCE_INTERNAL.KPTSEG array(13, 135) of float (13,75) (13,75) 85 GUIDANCE_INTERNAL.KPTSEGB array(13, 05, 1float (13,75) (13,74) 86 JACKS_INTERNALS.JACKS_DATA array(eapleps) of # <record> (1) (11,72,73,74) 87 LNI.USE12_CANNEE_MODE_ANSWER_ACTIVE #<record> (1) (11,72,73,74) 90 LNI.UES12_CANNEE_MODE_ANSWER_ACTIVE #<record> (1) (11,72,73,74) 91 LNI.UES4_WITNE_DATA_ACTIVE #<record> (1) (11,72,73,74) 91 LNI.UES4_WITNE_ACTIVE #<record> (1) (11,72,73,74) 92 LNI.UES4_WITNE_ACTIVE #<record> (1) (11,72,73,74) 93 LNI.UES4_WITNE_ACTIVE #<record> (1) (11,72,73,74) 94 LNI.UES4_WITNE_ACTIVE #<record> (1) (11,72,73,74)<!--</td--><td>80</td><td>GUIDANCE INTERNAL, TRES</td><td>$\operatorname{array}(0, 5)$ of float</td><td>$\{T3, T5\}$</td><td>$\{T3, T5\}$</td></record></record></record></record></record></record></record></record>	80	GUIDANCE INTERNAL, TRES	$\operatorname{array}(0, 5)$ of float	$\{T3, T5\}$	$\{T3, T5\}$
82 GUIDANCE_INTERNAL.UNITERNALUNI	81	GUIDANCE INTERNAL, TVALTD	float	{13,15}	{T3,T5}
ailing(13) ailing(13) (T3, T5) (T3, T5) ailing(13) (T3, T5) (T3, T5) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T3, T4) (T3, T4) (T3, T4) (T3, T4) ailing(13) (T1, T2, T3, T4) (T1, T2, T3, T4) (T1, T2, T3, T4) ailing(13) (T1, T2, T3, T4) (T1, T2, T3, T4) <	82	GUIDANCE INTERNAL UI	$2\pi m \sigma r (1 - 2\Gamma) = f - \Gamma r r$	{T3,T5}	{T3,T5}
attay(1, 1, 3) of float (T3, 75) (T5) attay(1, 3, 0, 5, 1, float (T3, 75) (T5) gutDaNCE_INTERNAL.MTSEGB array(1, 3, 0, float (T3, 75) (T5) 6JACKS_INTERNALS.JACKS_DATA array(1, 3, 0, float (T3, 74) (T3, 74) 8F INI.LML_PROCEDURE_ACTIVE # <record> (1) (T1, 72, 73, 74) 8F INI.USS10_CONTROL_OBSRVER_ACTIVE #<record> (1) (T1, 72, 73, 74) 90 LNI.USS22_FRANGE MODE_ANSWER_ACTIVE #<record> (1) (T1, 72, 73, 74) 91 LNI.USS2_WATTE_DATA_ACTIVE #<record> (1) (T1, 72, 73, 74) 91 LNI.USS5_READ_DATA_ACTIVE #<record> (1) (T1, 72, 73, 74) 93 LNI.USS5_READ_DATA_ACTIVE #<record> (1) (T1, 72, 73, 74) 94 LNI.USS5_REND_DATA_ACTIVE #<record> (1) (T1, 72, 73, 74) 95 LNI.USS5_READ_DATA_ACTIVE #<record> (1) (T1, 72, 73, 74) 95 LNI.USS5_REND_DATA_ACTIVE #<record> (1) (T1, 72, 73, 74) 96 LNI.USS5_READ_DATA_ACTIVE #<record> (1)</record></record></record></record></record></record></record></record></record></record>	83	GUIDANCE INTERNAL UB	$\operatorname{array}(135)$ of float	{T3,T5}	{T3,T5}
control Linking array(0.15, 16) of float (73, 75) (73, 75) control Linking array(1.13, 0.15, 1) float (73, 75) (73, 74) (73, 74) control Linking array(appleps) of # <record> (73, 74) (71, 72, 73, 74) control Linking (73, 74) (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (71, 72, 73, 74) (71, 72, 73, 74) control Linking (73, 74) (73, 74) control Linking (73, 74) (73, 74)</record>	84	GUIDANCE INTERNAL YDTCEC	array(13, 135) of float	{T3}	{T5}
bit of the second of the se	85	GUIDANCE INTERNAL YDTCECD	array(05, 16) of float	{T3,T5}	{T3,T5}
87 LINI.LIM_PROCEDURE_ACTIVE array(esp1eps) of # <record> [73,74] [73,74] 87 LINI.LIM_PROCEDURE_ACTIVE #<record> [] <t< td=""><td>86</td><td>JACKS INTERNALS INCKS DAMA</td><td>array(13, 05, 1f float</td><td>{T3}</td><td>{T5}</td></t<></record></record>	86	JACKS INTERNALS INCKS DAMA	array(13, 05, 1f float	{T3}	{T5}
0.1 INI. LESIO_CONTROL_OBSERVER_ACTIVE #*record> () (TI, T2, T3, T4) 88 LINI. UESIO_CONTROL_OBSERVER_ACTIVE #*record> () (TI, T2, T3, T4) 90 LNI. UESIO_FAST_WRITE_ACTIVE #*record> () (TI, T2, T3, T4) 91 LNI. UESG_MRITE_DATA_ACTIVE #*record> () (TI, T2, T3, T4) 91 LNI. UESG_MRITE_DATA_ACTIVE #*record> () (TI, T2, T3, T4) 92 LNI. UESG_REND_DATA_ACTIVE #*record> () (TI, T2, T3, T4) 93 LNI. UESG_SEND_DATA_ACTIVE #*record> () (TI, T2, T3, T4) 94 LNI. UESG_SEND_DATA_ACTIVE #*record> () (TI, T2, T3, T4) 95 LNI. UESG_SEND_DATA_ACTIVE #*record> () (TI, T2, T3, T4) 95 LNI. UESG_DATA_ACQUISITION_ACTIVE #*record> () (TI, T2, T3, T4) 96 LNI. UT_RCONFIGURATION_ACTIVE #*record> () (TI, T2, T3, T4) 97 LNI. UT_RENGAL ACTIVE #*record> () (TI, T2, T3, T4) 98 LNI. UT_RENGAL ACTIVE #*record> () (T1, T2, T3, T4)	87	LN1 LN1 DROCEDIDE ACTIVE	array(eapleps) of # <record></record>	{T3,T4}	{T3,T4}
131 LAI. UBSIZ_CONTROL_OBSERVER_ACTIVE #*record> (1) (T1, T4) 90 LAI. UESIZ_PAST_WRITE_ACTIVE #*record> (1) (T1, T2, T3, T4) 91 LAI. UESZ_CHANGE_MODE_ANSWER_ACTIVE #*record> (1) (T1, T2, T3, T4) 91 LAI. UESS_READ_DATA_ACTIVE #*record> (1) (T1, T2, T3, T4) 92 LNI. UESS_READ_DATA_ACTIVE #*record> (1) (T1, T2, T3, T4) 93 LAI. UESS_READ_DATA_ACTIVE #*record> (1) (T1, T2, T3, T4) 94 LNI. UESS_READ_DATA_ACTIVE #*record> (1) (T1, T2, T3, T4) 94 LNI. UESS_READ_DATA_ACTIVE #*record> (1) (T1, T2, T3, T4) 95 LNI. UESS_REAT_AQUISITION_ACTIVE #*record> (1) (T1, T2, T3, T4) 96 LNI. UTL RECONFIGURATION_ACTIVE #*record> (1) (T1, T2, T3, T4) 97 LNI. UTL RECONFIGURATION_ACTIVE #*record> (1) (T1, T2, T3, T4) 98 LNI. UTL RECONFIGURATION_ACTIVE #*record> (1) (T1, T2, T3, T4) 98 LNI. UTL REAL READ ATME #record> (1) (T1, T	88	LN1 UES10 CONTROL OBCEDUED ACTIVE	# <record></record>	{ }	{T1,T2,T3,T4}
01 Init UB312_FASI_NATIP_ACTIVE # <record> () (T1, T2, T3, T4) 91 LN1. UES2_CHANGE_MODE_ANSWER_ACTIVE #<record> () (T1, T2, T3, T4) 92 LN1. UES5_READ_DATA_ACTIVE #<record> () (T1, T2, T3, T4) 93 LN1. UES5_READ_DATA_ACTIVE #<record> () (T1, T2, T3, T4) 93 LN1. UES5_READ_DATA_ACTIVE #<record> () (T1, T2, T3, T4) 94 LN1. UES5_REND_DATA_ACTIVE #<record> () (T1, T2, T3, T4) 94 LN1. UES5_REND_DATA_ACTIVE #<record> () (T1, T2, T3, T4) 95 LN1. UES8_SEND_DATA_ACQUISITION_ACTIVE #<record> () (T1, T2, T3, T4) 96 LN1. UES8_CONTROL_HARDWARE_ACTIVE #<record> () (T1, T2, T3, T4) 97 LN1. UT1_RECONFIGURATION_ACTIVE #<record> () (T1, T2, T3, T4) 97 LN1. UT1_RECONFIGURATION_ACTIVE #<record> () (T1, T2, T3, T4) 98 LN1. UT7_RECONFIGURATION_ACTIVE #<record> () (T1, T2, T3, T4) 101 MEAS_INTERNAL. SCONFIGURATION_ACTIVE #<record> (T3, T4) (T</record></record></record></record></record></record></record></record></record></record></record></record></record>	89	LN1 UES12 EXCHADINE XONTUR	# <record></record>	{ }	{T1,T4}
31 LN1. UBS2_D_CHRINGS_MODE_ACTIVE # \$\teccord> {} {T1, 72, 74} 32 LN1. UBS2_D_CHRINGS_MODE_ACTIVE # \$\teccord> {} {T1, 72, 73, 74} 32 LN1. UBS5_READ_DATA_ACTIVE # \$\teccord> {} {T1, 72, 73, 74} 33 LN1. UBS5_STOP_FRAME_ACTIVE # \$\teccord> {} {} {T1, 72, 73, 74} 34 LN1. UBS5_STOP_FRAME_ACTIVE # \$\teccord> {} {} {} {} 34 LN1. UBS8_DATA_ACQUISITION_ACTIVE # \$\teccord> {}	90	LN1 HES2P CHANCE MODE ANGUER ACTIVE	# <record></record>	{}	{T1,T2,T3,T4}
1Init Dest_ARTIG_DATA_ACTIVE# steeord>()(T1, T2, T3, T4)92LN1. UESS_READ_DATA_ACTIVE# steeord>()(T1, T2, T3, T4)93LN1. UESG_RUN_FRAME_ACTIVE# steeord>()(T1, T2, T3, T4)94LN1. UESG_SEND_DATA_ACTIVE# steeord>()(T1, T2, T3, T4)95LN1. UESSB_SEND_DATA_ACTIVE# steeord>()(T1, T2, T3, T4)96LN1. UESSB_DATA_ACQUISITION_ACTIVE# steeord>()(T1, T2, T3, T4)97LN1. UT1_RECONFIGURATION_ACTIVE# steeord>()(T1, T2, T3, T4)98LN1. UT1_RECONFIGURATION_ACTIVE# steeord>()(T1, T2, T3, T4)99LN2_TIME.SUSPENSION_DATE# steeord>()(T1, T2, T3, T4)90MEAS_INTERNAL.BGY_DATA# steeord>(1)(T1, T2, T3, T4)100MEAS_INTERNAL.SUCOGL# steeord>(T3, T4)(T3, T4)101MEAS_INTERNAL.SUPSEAM_DATA# steeord>(T3, T4)(T3, T4)102NAVIGATION_INTERNAL.NORELAfloat(T4)(T3, T4)103NAVIGATION_INTERNAL.NORELAfloat(T4)(T3, T4)104NAVIGATION_INTERNAL.VEQarray(13) of float(T5)(T3)105NAVIGATION_INTERNAL.KEQarray(13) of float(T5)(T3)106NAVIGATION_INTERNAL.KEQarray(bdplcase.bdp265535(T1, T3)(T1, T3)107OBC_INTERNAL.KELDParray(bdplcase.bdp265535(T1, T3)(T1, T4)108OBC_INTERNAL.BLCPfloat<	91	INT.UESZE_CHANGE_MODE_ANSWER_ACTIVE	# <record></record>	{}	{T1,T2,T4}
22 LNI. UESS_RUN_FRAME_ACTIVE# <record>()(T1, T2, T3, T4)93LNI. UESG_RUN_FRAME_ACTIVE# <record>()(T1, T3, T4)94LNI. UESG_RUN_FRAME_ACTIVE# <record>()(T1, T2, T3, T4)94LNI. UESB_DATA_ACTIVE# <record>()(T1, T2, T3, T4)95LNI. UESB_DATA_ACTIVE# <record>()(T1, T2, T3, T4)96LNI. UESB_DATA_ACULUSITION_ACTIVE# <record>()(T1, T2, T3, T4)97LNI. UT1_RECONFIGURATION_ACTIVE# <record>()(T1, T2, T3, T4)98LNI. UT7_CONTROL_HARDWARE_ACTIVE# <record>()(T1, T2, T3, T4)99LN2_TIME. SUSPENSION_DATE# <record>(1)(T1, T2, T3, T4)100MEAS_INTERNAL. SKI_UPSTREAM_DATA# <record>(T3, T4)(T3, T4)101MEAS_INTERNAL. SKI_UPSTREAM_DATA# <record>(T3, T4)(T3, T4)101MEAS_INTERNAL. SKI_UPSTREAM_DATA# <record>(T3, T4)(T3, T4)102NAVIGATION_INTERNAL. ACNGLarray(13) of float(T5)(T3)104NAVIGATION_INTERNAL. NELAfloat(T5)(T3)104NAVIGATION_INTERNAL. XEQarray(13) of float(T5)(T3)106NAVIGATION_INTERNAL. XEQarray(bdplcase. bdp265535(T1, T3)(T1, T3)106NAVIGATION_INTERNAL. XEQarray(bdplcase. bdp265535(T1, T3)(T1, T3)106NAVIGATION_INTERNAL. ATTITUDE_STATE# <record>(T1)<td< td=""><td></td><td>LN1.UES4_WRITE_DATA_ACTIVE</td><td>#<record></record></td><td>{ }</td><td>{T1,T2,T3,T4}</td></td<></record></record></record></record></record></record></record></record></record></record></record></record></record>		LN1.UES4_WRITE_DATA_ACTIVE	# <record></record>	{ }	{T1,T2,T3,T4}
94LNI.UESS_ROT_FRAME_ACTIVE $\# < x = cord>$ () $(T1, T3, T4)$ 95LNI.UESS_STOP_FRAME_ACTIVE $\# < x = cord>$ () $(T1, T2, T3, T4)$ 96LNI.UESS_SEND_DATA_ACQUISITION_ACTIVE $\# < x = cord>$ () $(T1, T2, T3, T4)$ 97LNI.UTL_RECONFIGURATION_ACTIVE $\# < x = cord>$ () $(T1, T2, T3, T4)$ 98LNI.UT_T_CONTROL_HARDWARE_ACTIVE $\# < x = cord>$ () $(T1, T2, T3, T4)$ 98LNI_UT_T_CONTROL_HARDWARE_ACTIVE $\# < x = cord>$ () $(T1, T2, T3, T4)$ 99LNZ_TIME.SUSPENSION_DATE $\# < x = cord>$ (1) $(T1, T2, T3, T4)$ 100MEAS_INTERNAL.GQ_DATA $\# < x = cord>$ (T3, T4) $(T3, T4)$ 101MEAS_INTERNAL.SRI_UPSTREAM_DATA $\# < x = cord>$ (T3, T4)(T3, T4)101MEAS_INTERNAL.NOR_INTERNAL.NORELAarray(13) of float(T5)(T3)103NAVIGATION_INTERNAL.NORELAfloat(T5)(T3)104NAVIGATION_INTERNAL.YEQarray(13) of float(T5)(T3)105NAVIGATION_INTERNAL.XEQarray(13) of float(T5)(T3)106NAVIGATION_INTERNAL.KEDParray(bdplcase.bdp265535(T1, T3)(T1, T3, T4)109OBC_INTERNAL.HELDParray(bdplcase.bdp265535(T1, T3)(T1, T3, T4)110PILOT_INTERNAL.BLCDTfloat(T3, T4)(T3, T4)111PILOT_INTERNAL.BLCDTfloat(T3, T4)(T3, T4)112PILOT_INTERNAL.BLCCfloat(T3, T4)(T3, T4) </td <td>02 </td> <td>LN1.UESS_READ_DATA_ACTIVE</td> <td>#<record></record></td> <td>{ }</td> <td>{T1,T2,T3,T4}</td>	02	LN1.UESS_READ_DATA_ACTIVE	# <record></record>	{ }	{T1,T2,T3,T4}
35 LN1.UESS_ASEND_DATA_ACTIVE# <record>()(T1,T2,T4)96LN1.UES8_SEND_DATA_ACQUISITION_ACTIVE#<record>()(T1,T2,T3,T4)96LN1.UT1_RECONFIGURATION_ACTIVE#<record>()(T1,T2,T3,T4)97LN1.UT1_RECONFIGURATION_ACTIVE#<record>()(T1,T2,T3,T4)98LN1.UT7_CONTROL_HARDWARE_ACTIVE#<record>()(T1,T2,T3,T4)98LN2_TIME.SUSPENSION_DATE#<record>(1)(T1,T2,T3,T4)99LN2_TIME.SUSPENSION_DATE#<record>(T3,T4)(T3,T4)101MEAS_INTERNAL.SRL_UPSTREAM_DATA#<record>(T3,T4)(T3,T4)102NAVIGATION_INTERNAL.ACCNGLarray(13) of float(T5)(T3)103NAVIGATION_INTERNAL.NVRELAfloat(T5)(T3)104NAVIGATION_INTERNAL.VQQarray(13) of float(T5)(T3)106NAVIGATION_INTERNAL.VQarray(13) of float(T5)(T3)106NAVIGATION_INTERNAL.KQarray(bdplcase.bdp265535(T1,T3)(T1,T3)107OBC_INTERNAL.H0_OBT#<record>array(bdplcase.bdp265535(T1,T3)(T1,T3)110PILOT_INTERNAL.RELBDParray(bdplcase.bdp265535(T1,T3)(T1,T3)110PILOT_INTERNAL.BLCfloat(T3,T4)(T3,T4)111PILOT_INTERNAL.BLCCfloat(T3,T4)(T3,T4)112PILOT_INTERNAL.BLCCfloat(T3,T4)(T3,T4)114PILOT_INTERNAL.BLCE<t< td=""><td>93</td><td>LN1.UESO_RUN_FRAME_ACTIVE</td><td>#<record></record></td><td>{ }</td><td>{T1,T3,T4}</td></t<></record></record></record></record></record></record></record></record></record>	93	LN1.UESO_RUN_FRAME_ACTIVE	# <record></record>	{ }	{T1,T3,T4}
DescriptionInt. USSSA_SEND_LATA_ACTIVE# <record>{}{T1,T2,T3,T4}96LN1.UESSB_DATA_ACQUISITION_ACTIVE#<record>{}{T1,T2,T3,T4}97LN1.UT1_RECONFIGURATION_ACTIVE#<record>{}{T1,T2,T3,T4}98LN1.UT7_CONTROL_HARDWARE_ACTIVE#<record>{}{T1,T2,T3,T4}99LN2_TIME.SUSPENSION_DATE#<record>{}{T1,T2,T3}100MESA_INTERNAL.BGY_DATA#<record>{T3,T4}{T1,T2,T3}101MEAS_INTERNAL.GGY_DATA#<record>{T3,T4}{T3,T4}102NAVIGATION_INTERNAL.ACCNGLarray(13) of float{T5}{T3}103NAVIGATION_INTERNAL.ACCNGLarray(13) of float{T5}{T3}104NAVIGATION_INTERNAL.ACCORIAfloat{T5}{T3}105NAVIGATION_INTERNAL.VEQarray(13) of float{T5}{T3}106NAVIGATION_INTERNAL.XEQarray(13) of float{T5}{T3}107OBC_INTERNAL.HO_OBT#<record>{T1,T2,T3,T4}{T4}108OBC_INTERNAL.ACCNELarray(bdplcase.bdp265535{T1,T3}{T1,T3}110PILOT_INTERNAL.ACCNE#<record>{T1,T3,T4}{T3,T4}111PILOT_INTERNAL.BLCDTfloat{T3,T4}{T3,T4}112PILOT_INTERNAL.BLCDTfloat{T3,T4}{T3,T4}113PILOT_INTERNAL.BLCEfloat{T3,T4}{T3,T4}114PILOT_INTERNAL.BLCEfloat{T3,T4}{T3,T4}114PILOT_INTERNAL.BLCE</record></record></record></record></record></record></record></record></record>	94	LN1.UES/_STOP_FRAME_ACTIVE	# <record></record>	{}	{T1,T2,T4}
97 LN1. UT1_RECONFIGURATION_ACTIVE # <record> {} {T1, T2, T3, T4} 98 LN1. UT1_RECONFIGURATION_ACTIVE #<record> {} {T1, T2, T3, T4} 98 LN1. UT1_RECONFIGURATION_ACTIVE #<record> {} {T1, T2, T3, T4} 98 LN1. UT1_RECONFIGURATION_ACTIVE #<record> {} {} {} 99 LN2_TIME.SUSPENSION_DATE #<record> {}</record></record></record></record></record>	95	LN1 UES8A_SEND_DATA_ACTIVE	# <record></record>	{ }	{T1,T2,T3,T4}
97LNL.UTT_RECONFIGURATION_ACTIVE $\# < record>$ {} $(T1, T2, T3)$ 98LN1_UT7_CONTROL_HARDWARE_ACTIVE $\# < record>$ {} $(T1, T2, T3, T4)$ 99LN2_TIME.SUSPENSION_DATE $\# < record>$ {T3} $(T1, T2, T3, T4)$ 100MEAS_INTERNAL.BGY_DATA $\# < record>$ {T3, T4}{T3, T4}101MEAS_INTERNAL.SRI_UPSTREAM_DATA $\# < record>$ {T3, T4}{T3, T4}102NAVIGATION_INTERNAL.ACCNGL $array(13)$ of float{T5}{T3}103NAVIGATION_INTERNAL.NVRELAfloat{T5}{T3}104NAVIGATION_INTERNAL.VRELAfloat{T5}{T3}105NAVIGATION_INTERNAL.YEQ $array(13)$ of float{T5}{T3}106NAVIGATION_INTERNAL.XEQ $array(13)$ of float{T5}{T3}107OBC_INTERNAL.HO_OBT $\# < record>$ {T1, T3}{T1, T3}108OBC_INTERNAL.ALRELBDP $array(bdplcasebdp265535)$ {T1, T3}{T1, T3}109OBC_INTERNAL.ALTITUDE_STATE $\# < record>$ {T1}{T3, T4}111PILOT_INTERNAL.BLCCfloat{T3, T4}{T3, T4}112PILOT_INTERNAL.BLCDTfloat{T3, T4}{T3, T4}114PILOT_INTERNAL.BLCEfloat{T3, T4}{T3, T4}114PILOT_INTERNAL.BLCECDTfloat{T3, T4}{T3, T4}	90	LN1.UES8B_DATA_ACQUISTTION_ACTIVE	# <record></record>	{ }	$\{T1, T2, T3, T4\}$
30 LN1.01/_CONTROL_HARDWARE_ACTIVE $4 < \text{record} >$ $\{\}$ $\{\text{T1}, \text{T2}, \text{T3}, \text{T4}\}$ 99 LN2_TIME.SUSPENSION_DATE $\# < \text{record} >$ $\{\text{T3}\}$ $\{\text{T1}, \text{T2}, \text{T3}, \text{T4}\}$ 100 MEAS_INTERNAL.BGY_DATA $\# < \text{record} >$ $\{\text{T3}, \text{T4}\}$ $\{\text{T3}, \text{T4}\}$ 101 MEAS_INTERNAL.SRI_UPSTREAM_DATA $\# < \text{record} >$ $\{\text{T3}, \text{T4}\}$ $\{\text{T3}, \text{T4}\}$ 102 NAVIGATION_INTERNAL.ACCNGL $array(13)$ of float $\{\text{T5}\}$ $\{\text{T3}\}$ 103 NAVIGATION_INTERNAL.NVRELAfloat $\{\text{T4}\}$ $\{\text{T3}\}$ 104 NAVIGATION_INTERNAL.TACOSRIAVfloat $\{\text{T5}\}$ $\{\text{T3}\}$ 106 NAVIGATION_INTERNAL.XEQ $array(13)$ of float $\{\text{T5}\}$ $\{\text{T3}\}$ 106 NAVIGATION_INTERNAL.KEQ $array(13)$ of float $\{\text{T5}\}$ $\{\text{T3}\}$ 107 OBC_INTERNAL.HO_OBT $\# < \text{record} >$ $\{\text{T1}, \text{T3}\}$ $\{\text{T1}, \text{T3}\}$ 108 OBC_INTERNAL.RELBDP $array(bdplcase.bdp265535)$ $\{\text{T1}, \text{T3}\}$ $\{\text{T1}, \text{T3}\}$ 109 OBC_INTERNAL.ATTITUDE_STATE $\# < \text{record} >$ $\{\text{T1}\}$ $\{\text{T3}, \text{T4}\}$ 111 PILOT_INTERNAL.BLCDTfloat $\{\text{T3}, \text{T4}\}$ $\{\text{T3}, \text{T4}\}$ 112 PILOT_INTERNAL.BLCDTfloat $\{\text{T3}, \text{T4}\}$ $\{\text{T3}, \text{T4}\}$ 114 PILOT_INTERNAL.BLCEfloat $\{\text{T3}, \text{T4}\}$ $\{\text{T3}, \text{T4}\}$	97	LN1.UT1_RECONFIGURATION_ACTIVE	# <record></record>	{ }	{T1,T2,T3}
(39) LN2_TIME.SUSPENSION_DATE # <record> {T3} {T1,T2,T3} 100 MEAS_INTERNAL.BGY_DATA #<record> {T3,T4} {T3,T4} 101 MEAS_INTERNAL.SRI_UPSTREAM_DATA #<record> {T3,T4} {T3,T4} 102 NAVIGATION_INTERNAL.ACCNGL array(13) of float {T5} {T3} 103 NAVIGATION_INTERNAL.NVRELA float {T4} {T3} 104 NAVIGATION_INTERNAL.ACCNGL array(13) of float {T4} {T3} 104 NAVIGATION_INTERNAL.XCQSRIAV float {T5} {T3} 105 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.BLODET #<record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdplcasebdp265535 {T1,T3} {T1,T3} 109 OBC_INTERNAL.BLCDP array(bdplcasebdp265535 {T1,T3} {T1,T3} 110 PILOT_INTERNAL.BLCC float {T3,T4} {T3,T4} 110 PILOT_INTERNAL.BLCCT</record></record></record></record>	90	LN1.UT/_CONTROL_HARDWARE_ACTIVE	# <record></record>	{}	{T1,T2,T3,T4}
100 MEAS_INTERNAL.BGY_DATA # <record> {T3,T4} {T3,T4} 101 MEAS_INTERNAL.SRI_UPSTREAM_DATA #<record> {T3,T4} {T3,T4} 101 MAXIGATION_INTERNAL.ACCNGL array(13) of float {T3,T4} {T3,T4} 102 NAVIGATION_INTERNAL.ACCNGL array(13) of float {T5} {T3} 103 NAVIGATION_INTERNAL.NVKELA float {T4} {T3} 104 NAVIGATION_INTERNAL.NVEQLA float {T5} {T3} 105 NAVIGATION_INTERNAL.VEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.KEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.HO_OBT #<record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdplcase.bdp265535 {T1,T3} {T1,T3} 109 OBC_INTERNAL.ATITUDE_STATE #<record> {T1,T3} {T1,T3} 110 PILOT_INTERNAL.BLCDT float {T3,T4} {T3,T4} 111 PILOT_INTERNAL.BLCDT float</record></record></record></record>		LNZ_TIME.SUSPENSION_DATE	# <record></record>	{T3}	$\{T1, T2, T3\}$
101 MEAS_INTERNAL.SRI_UPSTREAM_DATA # <record> {T3, T4} {T3, T4} 102 NAVIGATION_INTERNAL.ACCNGL array(13) of float {T5} {T3} 103 NAVIGATION_INTERNAL.NVRELA float {T4} {T3} 104 NAVIGATION_INTERNAL.NVRELA float {T4} {T3} 104 NAVIGATION_INTERNAL.NVRELA float {T4} {T3} 105 NAVIGATION_INTERNAL.YEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.H0_OBT #<record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdplcase.bdp265535 {T1, T3} {T1, T3} 109 OBC_INTERNAL.ALBDP array(bdplcase.bdp265535 {T1, T3} {T1, T3} 110 PILOT_INTERNAL.BLC float {T3, T4} {T3, T4} 111 PILOT_INTERNAL.BLCDT float {T3, T4} {T3, T4} 112 PILOT_INTERNAL.BLCDT float {T3, T4} {T3, T4} 113 PILOT_INTERNAL.BLCC float {T3</record></record>	100	MEAS_INTERNAL.BGY_DATA	# <record></record>	{T3,T4}	$\{T3, T4\}$
102 NAVIGATION_INTERNAL.ACCNGL array(13) of float {T5} {T3} 103 NAVIGATION_INTERNAL.NVRELA float {T4} {T3} 104 NAVIGATION_INTERNAL.NACORRIAV float {T5} {T3} 105 NAVIGATION_INTERNAL.TACQSRIAV float {T5} {T3} 106 NAVIGATION_INTERNAL.VEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.VEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.VEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.KEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.HO_OBT # <record> {T1} {T4} 108 OBC_INTERNAL.RELEDP array(bdplcase.bdp265535 {T1,T3} {T1,T3} 109 OBC_INTERNAL.ATTITUDE_STATE #<record> {T1} {T1,T3} 110 PILOT_INTERNAL.BLCC float {T3,T4} {T3,T4} 111 PILOT_INTERNAL.BLCDT float {T3,T4} {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4}<td></td><td>MEAS_INTERNAL.SRI_UPSTREAM_DATA</td><td>#<record></record></td><td>{T3,T4}</td><td>$\{T3, T4\}$</td></record></record>		MEAS_INTERNAL.SRI_UPSTREAM_DATA	# <record></record>	{T3,T4}	$\{T3, T4\}$
103NAVIGATION_INTERNAL.NVRELAfloat(T4)(T3)104NAVIGATION_INTERNAL.TACQSRIAVfloat{T5}{T3}105NAVIGATION_INTERNAL.VEQarray(13) of float{T5}{T3}106NAVIGATION_INTERNAL.XEQarray(13) of float{T5}{T3}107OBC_INTERNAL.HO_OBT# <record>{T1}{T4}108OBC_INTERNAL.RELBDParray(bdplcase.bdp265535{T1,T3}{T1,T3}109OBC_INTERNAL.ATTITUDE_STATE#<record>{T1,T3}{T1,T3}110PILOT_INTERNAL.BLCfloat{T3,T4}{T3,T4}111PILOT_INTERNAL.BLCfloat{T3,T4}{T3,T4}113PILOT_INTERNAL.BLCEfloat{T3,T4}{T3,T4}114PILOT_INTERNAL.BLCEPCDTfloat{T3,T4}{T3,T4}</record></record>	102	NAVIGATION_INTERNAL.ACCNGL	array(13) of float	{T5}	{T3}
104 NAVIGATION_INTERNAL.TACQSRIAV float {T5} {T3} 105 NAVIGATION_INTERNAL.VEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.H0_OBT # <record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdplcase.bdp265535) {T1,T3} {T1,T3} 109 OBC_INTERNAL.ATTITUDE_STATE #<record> {T1} {T3,T4} 110 PILOT_INTERNAL.BLC float {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4}</record></record>	104	NAVIGATION_INTERNAL.NVRELA	float	{T4}	{T3}
105 NAVIGATION_INTERNAL.VEQ array(13) of float {T5} {T3} 106 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.H0_OBT # <record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdplcase.bdp265535 {T1,T3} {T1,T3} 109 OBC_INTERNAL.ATTITUDE_STATE #<record> {T1,T3} {T1,T3} 110 PILOT_INTERNAL.BLC #<record> {T1,T3} {T1,T3} 111 PILOT_INTERNAL.BLC #<record> {T1,T3} {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} {T3,T4} 114 PILOT_INTERNAL.BLCE float {T3,T4} {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4} {T3,T4}</record></record></record></record>	105	NAVIGATION_INTERNAL.TACQSRIAV	float	{T5}	{T3}
106 NAVIGATION_INTERNAL.XEQ array(13) of float {T5} {T3} 107 OBC_INTERNAL.H0_OBT # <record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdplcase.bdp265535 {T1,T3} {T1,T3} 109 OBC_INTERNAL.VALBDP array(bdplcase.bdp265535 {T1,T3} {T1,T3} 110 PILOT_INTERNAL.ATTITUDE_STATE #<record> {T1} {T3,T4} 111 PILOT_INTERNAL.BLC float {T3,T4} {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4} {T3,T4}</record></record>	100	NAVIGATION_INTERNAL.VEQ	array(13) of float	{T5}	{T3}
107 OBC_INTERNAL.H0_OBT # <record> {T1} {T4} 108 OBC_INTERNAL.RELBDP array(bdp1case.bdp265535 {T1,T3} {T1,T3} 109 OBC_INTERNAL.VALBDP array(bdp1case.bdp265535 {T1,T3} {T1,T3} 110 PILOT_INTERNAL.ATTITUDE_STATE #<record> {T1,T3} {T1,T3} 111 PILOT_INTERNAL.BLC float {T3,T4} {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4} {T3,T4}</record></record>	107	NAVIGATION_INTERNAL.XEQ	array(13) of float	{T5}	{T3}
108 OBC_INTERNAL.RELBDP array(bdp1casebdp265535 {T1,T3} 109 OBC_INTERNAL.VALBDP array(bdp1casebdp265535 {T1,T3} 110 PILOT_INTERNAL.ATTITUDE_STATE # <record> {T1,T3} 111 PILOT_INTERNAL.BLC float {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4}</record>		OBC_INTERNAL.HO_OBT	# <record></record>	{T1}	{T4}
109 OBC_INTERNAL.VALBDP array(bdp1casebdp265535 {T1,T3} {T1,T3} 110 PILOT_INTERNAL.ATTITUDE_STATE # <record> {T1} {T3,T4} 111 PILOT_INTERNAL.BLC float {T3,T4} {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4} {T3,T4}</record>	100	OBC_INTERNAL.RELBDP	array(bdp1casebdp265535	{T1,T3}	{T1,T3}
110 PILOT_INTERNAL.ATTITUDE_STATE # <record> {T1} {T3, T4} 111 PILOT_INTERNAL.BLC float {T3, T4} 112 PILOT_INTERNAL.BLCDT float {T3, T4} 113 PILOT_INTERNAL.BLCE float {T3, T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3, T4}</record>	109	OBC_INTERNAL.VALBDP	array(bdp1casebdp265535	{T1,T3}	{T1,T3}
111 PILOT_INTERNAL.BLC float {T3,T4} 112 PILOT_INTERNAL.BLCDT float {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4}	110	PILOT_INTERNAL.ATTITUDE_STATE	# <record></record>	{T1}	{T3,T4}
112 PILOT_INTERNAL.BLCDT float {T3,T4} 113 PILOT_INTERNAL.BLCE float {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4}		PILOT_INTERNAL.BLC	float	{T3,T4}	{T3,T4}
113 PILOT_INTERNAL.BLCE float {T3,T4} 114 PILOT_INTERNAL.BLCEPCDT float {T3,T4} 114 FILOT_INTERNAL.BLCEPCDT float {T3,T4}		PILOT_INTERNAL.BLCDT	float	{T3,T4}	{T3,T4}
$114 PILOT_INTERNAL.BLCEPCDT float {T3, T4} {T3, T4}$		PILOT_INTERNAL.BLCE	float	{T3,T4} [•]	{T3,T4}
	114	PILOT_INTERNAL.BLCEPCDT	float	{T3,T4}	{T3,T4}

97/01/24 12:28:23

SHARED-NON-SCALAR-DATA-TABLE-SUMMARY.txt

115	PILOT_INTERNAL.BLFDT	float	ן (דא דא 1 (נשט שעו
116	PILOT_INTERNAL.BRAQUAGE_EAP1	# <record></record>	(13,14) (m3 m/)	{13,14} (m2 m4)
117	PILOT_INTERNAL.BRAQUAGE_EAP2	# <record></record>	(15,14) (m3 m/l)	{T3,T4}
118	PILOT_INTERNAL.BRAQUAGE_EPX	# <record></record>	(13,14) (m3 m/)	{I3, T4} (m2 m4)
119	PILOT_INTERNAL.BRC	float	(13,14) (m3 m/)	$\{T3, T4\}$
120	PILOT_INTERNAL.BRCDT	float	{13,14} {m3 m/}	$\{T3, T4\}$
121	PILOT_INTERNAL.BTC	float		$\{T3, T4\}$
122	PILOT_INTERNAL.BTCDT	float	[{13,14} [[m2 m4]]	$\{T3, T4\}$
123	PILOT INTERNAL.BTCE	float	$\{13, 14\}$	$\{T3, T4\}$
124	PILOT INTERNAL.BTCEPCDT	float	[{13,14} [(m2 m4)]	$\{T3, T4\}$
125	PILOT INTERNAL.BTFDT	float	$\{13, 14\}$	{T3,T4}
126	PILOT INTERNAL.CLC	float	$\{13, 14\}$	{T3,T4}
127	PILOT INTERNAL COSALP TEPX	float	{T3,T4}	{T3,T4}
128	PILOT INTERNAL COSTN PHT	float	{ T4 }	{'I'3 }
129	PILOT INTERNAL COSTN PST	float	$\{T3, T4\}$	$\{T3, T4\}$
130	PILOT INTERNAL CTC	float	$\{T3, T4\}$	$\{T3, T4\}$
131	PILOT INTERNAL DTPTL	float	{T3,T4}	{'T3,T4}
132	PILOT INTERNAL FILTERED ATTTUDE	tioac	{T4}	{T3}
133	PILOT INTERNAL PHELEPX	= 1 = 1 = 1 = 1	{T3}	{T4}
134	PILOT INTERNAL PUETEPX	$ \operatorname{array}(02) \circ \operatorname{floot}$	$\{T3, T4\}$	$\{T3, T4\}$
135	PILOT INTERNAL PYSLEPX	$ \operatorname{array}(02) \text{ of floot} $	$\{T3, T4\}$	{T3,T4}
136	PILOT INTERNAL PYSLINT	allay(02) OL LIGAT	{'1'3', '1'4 }	{T3,T4}
137	PILOT INTERNAL PYSTEPX	110al	{'I'4}	{T3}
138	PILOT INTERNAL PYSTINT	floot	{T3, T4}	{T3,T4}
139	PILOT INTERNAL SINALP IEPX	float	{T4}	{T3}
140	PILOT INTERNAL SINIS PHI	floot	{T4}	{T3}
141	PILOT INTERNAL SINUS PSI	IIOal	$\{13, 14\}$	{T3,T4}
142	PILOT INTERNAL UELEPX	$\int 110al$	$\{T3, T4\}$	{T3,T4}
143	PILOT INTERNAL UETEPX	$ \operatorname{array}(02, 15) \text{ of float} $	$\{T3, T4\}$	{T3,T4}
144	PILOT INTERNAL VEHELEDX	array(02, 15) of float	$\{T3, T4\}$	{T3,T4}
145	PTLOT INTERNAL VIOLENK	array(02) of float	$\{T3, T4\}$	{T3,T4}
146	PILOT INTERNAL VPVSLEDX	$ \operatorname{array}(02) \text{ of float} $	$\{T3, T4\}$	{T3,T4}
147	PILOT INTERNAL VPYSLINT	allay(02) OL Float	{'T3,'T4}	{T3,T4}
148	PILOT INTERNAL VPYSTEPX	110al		{T3}
149	PILOT INTERNAL VERSTAR	allay(02) of float	{T3,T4}	{T3,T4}
150	PILOT INTERNAL XPIL	110al	$ \{T4\} $	{T3}
151	PILOT INTERNAL VILEDY	$ \operatorname{array}(129) \text{ or rioat} $	$\{T3, T4\}$	{T3,T4}
152	PILOT INTERNAL VIIINT	$\operatorname{array}(02, 15)$ of float	{T3,T4}	{T3,T4}
153	PILOT INTERNAL VOTEDY	array(15) of float	{T4}	{T3}
154	PILOT INTERNAL VETINT	$\operatorname{array}(02, 15)$ of float	{T3,T4}	{T3,T4}
155	DILOT INTERNAL VERMA	array(15) of float	{T4}	{T3}
156	SRI INTERNAL ALE	Iloat	{T3}	{T4}
157	SRI INTERNAL ATTINE ANGLES	array(13) of float	{T3,T4}	{T3,T4}
158	SRT INTERNAL ATTICUE ANGLES	# <record></record>	{T3,T4}	{T3,T4}
159		array(13) of $-32/6832767$	{T3,T4}	{T3,T4}
109	I ONT THIRDWAR STINDL	array(13) of float	{T3,T4}	{T3,T4}



SHARED-NON-SCALAR-DATA-TABLE-SUMMARY.txt

160	SRI_INTERNAL.ATTS_INDIC	arrav(13) of -3276832767	{ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	{ ተን ተለ
161	SRI_INTERNAL.ATTSDT	array(13) of float	(13,14) { π3 π4 }	{T3, T4} {T3, T4}
162	SRI_INTERNAL.BRC	float	{T3}	{T3, T4} {T3, T4}
163	SRI_INTERNAL.IATT	array(1, 3) of -32768 32767	[[10] [{m3 m4}	{IJ,I4} {m3 m/l
164	SRI_INTERNAL.NREJA	array(1, 3) of -32768 32767	{T3, T4}	(13,14) (m3 m/l)
165	SRI_INTERNAL.PHIN0	float	[[13, 14] [{Ψ3 ΨΛ]	(13,14) /m3 m/l
166	SRI_INTERNAL.PHIN1	float	[[13,14] [{m3 m/l]	(13,14) (m2 m/l)
167	SRI INTERNAL.PHINF	float	[[13,14] [[m3 m/]	(IJ, 14)
168	SRI INTERNAL.PHINP	float	[[IJ, I4] [[m3 m/]	$\{13, 14\}$
169 İ	SRI INTERNAL. PHISO	float	[(II), I4)	$\{13, 14\}$
170	SRI INTERNAL, PHISI	float	[[13,14] [[m2 m4]	$\{13, 14\}$
171	SRI INTERNAL, PHISE	float	{13,14} [(m2 m4)	$\{T3, T4\}$
172	SRT INTERNAL PHISP	float	$\{13, 14\}$	$\{T3, T4\}$
173	SRT INTERNAL PREDICTED ATTITUDE ANGLES	# <rocord></rocord>	$\{13, 14\}$	$\{T3, T4\}$
174	SRT INTERNAL PSINO	float	[{14} [(m2 m4)]	{T3}
175	SRT INTERNAL PSINI	float	$\{13, 14\}$	$\{T3, T4\}$
176	SRT INTERNAL PSINE	floot	$\{T3, T4\}$	$\{T3, T4\}$
177	SRT_INTERNAL DEIND	floot	$\{13, 14\}$	$\{T3, T4\}$
178	SRI_INTERNAL.FSINF	flash	{13,14}	$\{T3, T4\}$
170	SRI_INTERNAL.PSISU	flash	$\{13, 14\}$	{T3,T4}
180	CDI INTERNAL POISI	float	$\{T3, T4\}$	$\{T3, T4\}$
101	SRI_INTERNAL PSISF	lloat	{T3,T4}	{T3,T4}
102	SRI_INIERNAL.PSISP	float	{T3,T4}	{T3,T4}
102	SRI_INTERNAL.TACQSRIAM	float	{T3,T4}	{T3,T4}
	SRI_INTERNAL.TETANU	float	{T3,T4}	{T3,T4}
	SRI_INTERNAL.TETANI	float	{T3,T4}	{T3,T4}
106	SRI_INTERNAL.TETANF	float	{T3,T4}	{T3,T4}
107	SRI_INTERNAL.TETANP	float	{T3,T4}	{T3,T4}
	SRI_INTERNAL.TETASU	float	{T3,T4}	{T3,T4}
100	SRI_INTERNAL.TETASI	float	{T3,T4}	{T3,T4}
189	SRI_INTERNAL.TETASF	float	{T3,T4}	{T3,T4}
TA0	SRI_INTERNAL.TETASP	float	{T3,T4}	{T3,T4}
191	SYSTEM.ADDRESS.*	# <record></record>	<pre>{T1,T2,T3,T4}</pre>	{T1,T3}
192	TIMER_INTERNAL.DRIFT	float	{T1,T2,T3}	{T4}
193	TIMER_INTERNAL.REFERENCE_OBT	# <record></record>	{T1,T2,T3}	{T4}
194	TIMER_INTERNAL.START_OF_CURRENT_CYCLE	float	{T1,T3,T4}	{T1,T4}
195	TIMER_INTERNAL.START_OF_CYCLE_OBT	# <record></record>	{T3,T4}	{T1,T4}
196	TIMER_INTERNAL.START_OF_NEXT_CYCLE	float	{T1,T3,T4}	{T1,T4}
197	UCTM_INTERNAL.BGY_STATUS_DM	# <record></record>	{T3}	{T3,T4}
198	UCTM_INTERNAL.COEFF_DM	array(12) of float	{T3}	{T3,T5}
199	UCTM_INTERNAL.EAP_NOMINAL_DEFLECTION_DM	# <record></record>	{T3}	{T3,T4}
200	UCTM_INTERNAL.EAP_NOMINAL_PILOT_VECTOR_2_DM	# <record></record>	{T3}	{T3,T4}
201	UCTM_INTERNAL.EAP_QDP_DEFLECTION_DM	# <record></record>	{T3}	{T3,T4}
202	UCTM_INTERNAL.EAP_QDP_PILOT_VECTOR_2_DM	# <record></record>	{T3}	{T3.T4}
203	UCTM_INTERNAL.EPC_EPS_DEFLECTION_DM	# <record></record>	{T3}	{T4}
204	UCTM_INTERNAL.EPC_EPS_PILOT_VECTOR_2_DM	# <record></record>	{T3}	{T3,T4}
97/01/24 12:28:23

205

UCTM_INTERNAL.GUIDANCE_CONSTRAINTS

SHARED-NON-SCALAR-DATA-TABLE-SUMMARY.txt

array(1..25) of -32768..32767

{T3}

	{T3,T5}
	{T3,T5}
	{T4}
	{T1,T2,T3,T4}
	{T3,T4}
1	(mc m/)

		array(12)) Or -32/0032/0/	{13}	{T3,T5}
206	UCTM_INTERNAL.GUIDANCE_SEGMENT_COMMANDS	array(15) of arrayf float	[{m3}	[(10,10)]
207)	UCTM_INTERNAL.H0_DM	# <record></record>	ן ניטן ן (ייטן איז	
208	UCTM INTERNAL LIST EVENT	$ \operatorname{array}(1, 0) \circ f \# \operatorname{crossed}$	$\{11, 12, 13\}$	{14}
209 1		array(1) or # <record></record>	$\{11, 12, 13, 14\}$	$ \{T1, T2, T3, T4\}$
200	UCTM_INTERNAL.MSG_1_EAP_NOMINAL_DM	# <record></record>	{T3}	{T3,T4}
210	UCTM_INTERNAL.MSG_1_EAP_QDP_DM	# <record></record>	{T3}	{m3 m4}
211	UCTM_INTERNAL.MSG_1_EPC_EPS_DM	# <record></record>	{ [1]	
212	UCTM_INTERNAL.MSG 6 DM	# <record></record>		{13,14}
213	ICTM INTERNAL MGC 8 DM		$\{T1, T2, T3, T4\}$	$\{T1, T2, T3, T4, T5\}$
211	UCIM_INTERNAL_NODVED_DM	# <record></record>	{T3}	{T3,T4}
214	UCTM_INTERNAL.NORMER_DM	float	{T3}	{T3.T5}
215	UCTM_INTERNAL.SRI_ATTITUDE_STATUS_DM	array(13) of -3276832767	[{m3}	{m3 m/}
216	UCTM_INTERNAL.SRI AXIS STATUS DM	# <record></record>		
217 İ	UCTM INTERNAL VELOCITY COMMAND DM			{13,14}
1	COMMAND_DM	# <record></record>	{T3}	{T3,T4}















SHARED-SCALAR-DATA-TABLE-SUMMARY.txt

File generated on Mar 14, 1997 by IABC V0.1, the INRIA static program analyzer.

Level 0 Concurrency Analysis for scalars accessed by:

- T2) TRT_200HERTZ.TRAITER_OPERAT (procedure), "trt_200hertz.ads" line 81, column 0: procedure TRAITER_OPERAT (S: in TE.T_SELECTEUR := TE.SELECTEUR_NUL);
- T3) TRT_200HERTZ.TRAITER_TEST (procedure), "trt_200hertz.ads" line 88, column 0: procedure TRAITER_TEST (S : in TE.T_SELECTEUR := TE.SELECTEUR_NUL) ;
- T4) TRT_BUS.TRAITER_IT1 (procedure), "trt_bus.ads" line 76, column 0: procedure TRAITER_IT1;

- T7) TRT_DATA_STORE.TRAITER_ECR_EXCEPT_DS (procedure), "trt_data_store.ads" line 92, column 0: procedure TRAITER_ECR_EXCEPT_DS (S:in TE.T_SELECTEUR := TE.SELECTEUR_NUL);
- T8) TRT_DATA_STORE.TRAITER_ECRITURE_DS (procedure), "trt_data_store.ads" line 76, column 0: procedure TRAITER_ECRITURE_DS (S:in TE.T_SELECTEUR := TE.SELECTEUR_NUL);
- T9) TRT_DATA_STORE.TRAITER_LECTURE_DS (procedure), "trt_data_store.ads" line 61, column 0: procedure TRAITER_LECTURE_DS (S:in TE.T_SELECTEUR := TE.SELECTEUR_NUL);
- T10) TRT_INITIAL.INITIALISER_OPERAT (procedure), "trt_initial.ads" line 64, column 3: procedure INITIALISER_OPERAT (S : in TE.T_SELECTEUR := TE.SELECTEUR_NUL);
- T11) TRT_SURVEILLANCES.TRAITER_SURVEILLANCES (procedure), "trt_surveillances.ads" line 65, column 0: procedure TRAITER_SURVEILLANCES (S : in TE.T_SELECTEUR := TE.SELECTEUR_NUL) ;
- T12) TRT_SURVEILLANCES.TRAITER_TESTS_INTERNES (procedure), "trt_surveillances.ads" line 57, column 0: procedure TRAITER_TESTS_INTERNES (S : in TE.T_SELECTEUR := TE.SELECTEUR_NUL) ;

	variable	type	reads	writes
1	ALIGNEMENT.G_M_ETAT_ALIGN	falsetrue	{T3,T7,T1}	(π2)
2	ALIGNEMENT.G_M_SURVEILLANCE	falsetrue	{T3,T1}	[[1 2] [{ T 2]
3	BOOLEENS_SYSTEME.G_M_VALEUR_BTF	falsetrue	$\{T2, T3, T12, T1\}$	(±2) {ጥጋ ጥ3 ጥ1ነ
4	DIALOGUE_ARC.G_M_ECRIRE_ARC	falsetrue	{}	{T2, I3, II} {T3 T1}
5	DIALOGUE_ARC.G_M_NOMBRE_MOTS_OPERAT	0255	{T2,T3,T1}	{ \mathcal{T} \mat
6	DIALOGUE_ARC.G_M_PANNE_ARC	falsetrue	{T2,T3,T1}	$\{ \pi 2, \pi 3, \pi 1 \}$
7	DIALOGUE_BUS.G_M_CASE_TEST	065535	{T2,T3,T7,T1}	$\int \{ \pi 2, \pi 3, \pi 7, \pi 1 \}$
8	DIALOGUE_BUS.G_M_CYCLES_DEPUIS_ANOMALIE	065535	{T2,T3,T1}	$\{ T_2, T_3, T_7, T_1 \}$
× 9	DIALOGUE_BUS.G_M_MODIFIE	falsetrue	{T2,T3,T7,T1}	$ \{ T8, T2, T3, T7, T1 \}$
10	DIALOGUE_BUS.G_M_NB_ANOMALIES_PROTONS	065535	{T2,T3,T7,T1}	$\{ T_2, T_3, T_7, T_1 \}$
11	DIALOGUE_BUS.G_M_SEUIL_PROTONS_QUATER	065535	{T3,T7,T1}	$\{T2\}$
12	DIALOGUE_BUS.G_M_SEUIL_PROTONS_VITESSE	065535	{T3,T7,T1}	$\{\mathbf{T}2\}$
13	DIALOGUE_BUS.G_M_SURVEILLANCE_PROTONS_ACTIVE	falsetrue	{T2,T3,T7,T1}	$\{T2, T3, T7, T1\}$





SHARED-SCALAR-DATA-TABLE-SUMMARY.txt



14	GESTION_DATA_STORE.G_C_TEMPS_SALE_EN_COURS	02147483647	{T2,T3,T1}	{ጥጋ ጥ3 ጥ1 እ
15	GESTION_DATA_STORE.G_M_ADRESSE_LUE	065535	$\{T2, T3, T1\}$	(12,13,11) {m2 m3 m1 ι
16	GESTION_DATA_STORE.G_M_ADRESSE_PFA	integer mod 42949672994967295	$\{ T_2, T_3, T_1 \}$	(12,13,11) {ποι
17	GESTION_DATA_STORE.G_M_ANGLE_A_SAUVEGARDER	falsetrue	$\{ (12), 12, 12 \}$	ן ניסן ן ניסן איז איז איז איז איז איז איז איז איז איז
18	GESTION_DATA_STORE.G_M_BORNE_MESSAGE_ETENDU	065535	{ \mathcal{T} \mat	[[12,13,11] [[mg]
19	GESTION_DATA_STORE.G_M_CONTEXTE PANNE A LIRE	false.true	(12)13)11) {Ͳጋ Ͳ3 Ͳ7 Ͳ1 \	[[10] m2 m7 m1]
20	GESTION_DATA_STORE.G M CRC TROUSAUVEGARDER	false, true	[[12,13,17,11] [{m2 m3 m1]	$\{12, 13, 17, 11\}$
-21 İ	GESTION DATA STORE G M DS 01 MODIFIEE	true false		$\{12, 13, 11\}$
22	GESTION DATA STORE G M DS 04 MODIFIEE	true false		$\{18, 12\}$
23	GESTION DATA STORE G M DS 05 MODIFIEF	true false		$\{18, 12\}$
24	GESTION DATA STORE G M DS 06 MODIFIEF	true falso		{T8,T2}
25	GESTION DATA STORE G M DS 07 MODIFIEF	true false		{T8,T2}
26	GESTION DATA STORE G M DS 08 MODIFIEF	true false		{T8,T2}
27	GESTION DATA STORE G M DS VALEUR CS			{T8,T2}
28	GESTION DATA STORE C M FTAT DEC		$\{12, 13, 11\}$	{T2,T3,T1}
29	GESTION_DATA_STORE.G_M_EIAI_FREC	felse tour	{T2,T3,T1}	{T2,T3,T1}
30	GESTION_DATA_STORE.G_M_DECTORE_DS_DEMANDEE GESTION_DATA_STORE.G_M_MODIE_MARIE_GDM_GMAM	false.true	{T9,T2,T3,T1}	{T9,T2,T3,T1}
31	GESTION_DATA_STORE.G_M_MODIF_TABLE_CPT_STAT	false.true	{T2,T3,T1}	{T2,T3,T1}
32	GESTION_DATA_STORE.G_M_MODIF_TAT_DECLENCHE	Ialsetrue	{T2,T3,T1}	{T2,T3,T1}
22	GESTION_DATA_STORE.G_M_NB_MSG_EDS	-3276832767	{T8,T9,T2,T4,T3,T5,T6,T1}	{T8,T9,T2,T4,T3,T5,T6,T1}
24	GESTION_DATA_STORE.G_M_NB_MSG_LDS	-3276832767	{T8,T9,T2,T4,T3,T5,T6,T1}	{T8,T9,T4,T5,T6}
24	GESTION_DATA_STORE.G_M_NLE_PANNE	falsetrue	{T2,T3,T1}	{T2,T3,T1}
20	GESTION_DATA_STORE.G_M_NOMBRE_A_LIRE	02147483647	{T2,T3,T1}	{T9}
20	GESTION_DATA_STORE.G_M_OK_ECRITURE_BAL	falsetrue	{T2,T4,T3,T5,T6,T1}	{T2,T3,T10,T1}
20	GESTION_DATA_STORE.G_M_PFA_LU	falsetrue	{T2,T3,T1}	{T2,T3,T1}
38	GESTION_DATA_STORE.G_M_ROMCHKT_A_SAUVEGARDER	falsetrue	{T2,T3,T1}	{T2,T3,T1}
39	GESTION_DATA_STORE.G_M_TABLE_09_A_SAUVEGARDER	falsetrue	{T2,T3,T1}	{T2,T3,T1}
40	GESTION_DATA_STORE.G_M_TABLE_OA_A_SAUVEGARDER	falsetrue	{T2,T3,T1}	{T2,T3,T1}
41	GESTION_DATA_STORE.G_M_TABLE_OAS_MODIFIEES	falsetrue	{T2,T3,T1}	{T2,T3,T1}
42	GESTION_DATA_STORE.G_M_TABLE_0B_A_SAUVEGARDER	falsetrue	{T2,T3,T1}	{T2,T3,T1}
43	GESTION_DATA_STORE.G_M_TABLE_0D_A_SAUVEGARDER	falsetrue	{T2,T3,T1}	$\{T2, T3, T1\}$
44	GESTION_DATA_STORE.G_M_TABLE_0E_A_SAUVEGARDER	falsetrue	{T2,T3,T1}	{T2,T3,T1}
45	GESTION_DATA_STORE.G_M_VALEUR_PFA	065535	{T2,T3,T1}	$\{T2, T3, T1\}$
46	GESTION_ETATS.G_M_ETAT	e_init0e_pr	{T8,T2,T3,T1}	$\{T2, T3, T1\}$
47	GESTION_ETATS.G_M_ETAT_ALIGNEMENT	e_nulle_algp	{T2}	$\{T2, T3, T1\}$
48	GESTION_ETATS.G_M_ETAT_CALIBRATION	e_nulle_cvolp	{T2,T3,T1}	$\{T2, T3, T1\}$
49	GESTION_ETATS.G_M_ETAT_CBA	falsetrue	{T3}	{T2}
50	GESTION_ETATS.G_M_ETAT_INTERNE	e_alime_hold	{T2,T3,T1}	$\{T2, T3, T1\}$
51	GESTION_ETATS.G_M_ETAT_TEST	e_module_1e_module_3	{T3}	$\{T2, T3, T1\}$
52	GESTION_ETATS.G_M_PFA_ETAT	e_pre_null	{T8,T2,T3,T1}	{T2,T3,T1}
53	GESTION_ETATS.G_M_PFV_ETAT	e_pre_null	{T8,T2,T3,T1}	$\{T_2, T_3, T_1\}$
54	SURVEILLANCES.G_C_COMPTEUR_TRAIEMPERATURES	065535	{T3}	{T3,T1}
55	SURVEILLANCES.G_M_BOOLEEN_COUPLURVEILLANCE	falsetrue	{T2}	{ T2, T3, T7, T1}
56	SURVEILLANCES.G_M_BOOLEEN_COUPLEUR_TESTS	falsetrue	{T12}	{T12,T1}
57	SURVEILLANCES.G_M_BOOLEEN_DATA_STORE	falsetrue	{T11}	(***/**) {ጥ8 ጥ11 ጥ7 ጥ12ኑ
58	SURVEILLANCES.G_M_CHECKSUM_LUE	065535	{T11}	{78}
59	SURVEILLANCES.G_M_CHECKSUM_ROM	065535	$\{T2, T3, T1\}$	{m11 m12}
60	SURVEILLANCES.G_M_CRC_LUS	falsetrue	$\{T2, T3, T1\}$	(111,112) {Ͳጋ Ͳ3 Ͳ1 \
61	SURVEILLANCES.G_M_DUREE_BUTEE	065535	{T3,T1}	(12,13,11) {π2}
62	SURVEILLANCES.G_M_FIN_TESTS_INTERNES	falsetrue	{m3,m1}	\±25 {m3 m10 m1\
63	SURVEILLANCES.G_M_INCIDENT_ROM	falsetrue	{m2,m3,m1}	ן ניט,ייג,ייד [לת11 ת0 ת2 ת10 ת11
64	SURVEILLANCES.G_M_MODIFICATIONE_COMPTEURS	falsetrue	{ π2 π3 π1 }	(+++,+2,+3,T+2,T+) {m11 m3 m3 m1)
65	SURVEILLANCES.G_M_MODIFICATION_TABLE_PANNES	falsetrue	{ π2, π3, π1 }	(+++,+2,+3,11) {m11 m3 m3 m13 m1)
66	SURVEILLANCES.G_M_MODIFICATION_TABLE TESTS	falsetrue	{ ^π 2, ^π 3, ^π 1}	(+++,+2,+3,T+2,T+2) {m11 m2 m2 m12 m11
67	SURVEILLANCES.G_M_MOT_ETAT_ARC_DECLENCHE	065535	{π3}	(+++,+2,T3,T12,T1} {m3 m1\ *
68	SURVEILLANCES.G_M_SURVEILLANCE_IMAGE ET SAUT	falsetrue	ן (ן ניס, יד ן ניס, יד ן ניס, יד ן
			1 (+-)	(1),11,1



SHARED-SCALAR-DATA-TABLE-SUMMARY.txt

69	SURVEILLANCES.G M TEMPERATURE2 APRES FILTRAGE	-32768 32767		(
, 70	SURVEILLANCES.G M TEMPERATURE3 APRES FILTRAGE	-32768 32767		$\{10, 12\}$
71	SURVEILLANCES.G M TEST ROM TD FINI	false true	ጊን / መ11 ጊ	$\{10, 12\}$
72	SURVEILLANCES.G M TEST SAUT ALC TERMINE	false true	(TTT) (TTT)	(IIZ) (m2 m1)
73	SURVEILLANCES.G M VALEUR CRC ARC	0. 65535	{T_2} [T_2]	{T5,T1} (m2,m1)
74	SURVEILLANCES.G M VALEUR CRC PP	0 65535	נוב, וסן היס היס הוו	{T3,T1}
$\times 75$	SURVEILLANCES.G M VALEUR CS	0 65535	(12,13,11) (π) π2 π1)	$\{TLZ\}$
76	TENSIONS.G M AXE EN COURS		{12,13,11; /m3]	$\{TII, T2, T3, TI\}$
77	TENSIONS.G M CDG	false true	(T) (T)	$\{T3,T1\}$
78	TENSIONS.G M COMPTEUR TENSIONS	0 255	נבטן גריס mp m1 ו	$\{T3, T1\}$
79	TENSIONS.G M DEBUT SAUT	0 2147483647	{12,13,11} {m2 m2 m1}	$\{T2, T3, T1\}$
80	TENSIONS.G M DEBUT STABILITE	0 2147483647	{12,13,11} {m3}	$\{T2, T3, T1\}$
81	TENSIONS.G M ETAPE STABILITE	e stabilite 1 e stabilite 3	{m3}	$\{T3, T1\}$
82	TENSIONS.G M ETAPE TEST ALC	e test stabilite 1 e bilite 3	{m3}	$\{T3, T1\}$
83	TENSIONS.G M SAUT EN COURS	e augun e z	{T2}	$\{T3, T1\}$
84	TENSIONS.G M STABILITE NON ARMEE	false true	{ 12 } { m2 }	$\{T2, T3, T1\}$
85	TRT 200HERTZ G C CYCLE	0 2147493647	{ID} (m) m) m1)	$\{T3, T1\}$
86	TRT 200HERTZ G C CYCLE 200	0.2147403047	$\{T2, T3, T1\}$	$\{12, 13, 11\}$
87	TRT 200HERTZ G C CYCLE 25 HERTZ	0.2147403047	{T2,T3,T1}	$\{T2, T3, T1\}$
88	TRT 200HERTZ G C CYCLE 50 HERTZ	02147403047	{T2} {m2,m2,m1}	$\{12, 13, 11\}$
89	TRT 200HERTZ G C CYCLE 625 HERTZ	0214/40304/	$\{T2, T3, T1\}$	$\{T2, T3, T1\}$
90	TRT 200HERTZ G C TEMPS ALIGNEMENT	02147403047	$\{T2, T3, T1\}$	$\{T2, T3, T1\}$
91	TRT 200HERTZ G C TEMPS MST	0214/40304/	$\{T3, T1\}$	$\{T2\}$
92	TRT 200HERTZ C C TEMPS VOL	0.2147403047	$\{12, 13, 11\}$	{T2,T3,T1}
93	TRT 200HERTZ G M CODE ACTION	0214/40304/	{T3,T1}	{T2}
94	TRT_200HERTZ C M CODE TEST	e_ecrire_arce_rin_test	{13}	{T3,T1}
95		e_fin_tests_internesee_moins	{13}	{T3,T1}
96	TRI_200HERTZ.C_M_ETAT_INTERNE	e_alime_noid	{T2,T3,T1}	$\{T2, T3, T1\}$
197	TAL_20011ER12.G_M_NOMBRE_TESTS_COUPLEUR	-32/0832/0/	{}	{T3,T1}
90	TAL_DUS.G_M_COMMANDE	e_mste_hoid	$\{T2, T3, T1\}$	{T4,T5,T6}
30	IKI_DOS.G_M_MODIFIE	Ialsetrue	{T2,T3,T1}	{T2,T4,T3,T5,T6,T1}



C

Collaboration with Aérospatiale (renamed EADS & Airbus)

- beautiful contract (700kf in 3 months...)
- several bugs [gonthier] +++
- interval analysis [deutsch] ++
- work on floating point [deutsch] +-



- simulation of LSSI automaton with Promela [gonthier] --
- participation to qualification committees of flight 502 ++[deutsch, gonthier, doligez, rouaix, skubi]
- article in an international conference on avionics [deutsch, gonthier]

OCTOBER 1997

A502 Suspense and Success: Account of Flight A502

The 17 months of effort after the June 1996 failure paid off on 30th October 1997 when Ariane 5 fully completed its second qualification flight. There was, however, some suspense during the flight when engineers realized in real time that the launcher was being submitted to an excessive roll after separation of the solid boosters and up to the end of the cryogenic stage flight

"Le logiciel a marché à 120%" « Software worked 120% »

Afterwards...

- **Polyspace**: start-up company [deutsch, pilaud]
- code analysis **ARD**, **ATV**, other satellites [deutsch]
- programming rules of CNES [deutsch, gonthier]
- expertise of Columbus Code[jj1, gonthier, blanchet, muller]
- ESA programming rules [gonthier, jj]]
- at ENS, Astrée analyzer has done much more for A380
- still nice days for static analysis of programs
- ... and verification of programs (embedded or not)
- our Moscova research-team well evaluated at INRIA

Conclusion

- Ariane 501 proved in real scale the importance of **software** bugs.
- One can use **elementary** methods taken from theory of programming and/or concurrency.
- Analysis on **existing** programs
- Application of results of **research** (IABC)
- Lot of fun ...

Conclusion - bis





Conclusion - bis



Applications

Conclusion - bis



Pratique